HAZARDOUS MATERIAL PLAN

CODINGTON COUNTY

EPCRA
EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT (SARA TITLE III)

September 2026

SUMMARY

Codington County Hazardous Material (HAZMAT) Plan

The Codington County HAZMAT Plan is divided into eight sections. The first section is the background which tells why Codington County is doing this plan. The second section is an introduction to why certain facilities in Codington County that use an extremely hazardous substance (EHS) or store a chemical in a quantity greater than the threshold planning quantity (TPQ) must report to the South Dakota Department of Environment and Natural Resources (DENR). The third section contains information about Codington County's Local Emergency Planning Committee (LEPC) and who is currently serving on it. The fourth section provides specific procedures and guidelines for response to an actual incident involving hazardous material and will assist the LEPC in complying with existing Federal and State legislation. The fifth section has notification information for the Director of Emergency Management (DEM). The sixth section is a list of non-governmental businesses in Codington County that have equipment resources that might be needed if the release of hazardous material occurs. The seventh section identifies the individual hazardous material facilities in Codington County. There is a roster of people who know the specific location and quantity of each chemical which is identified with its name, hazard class and Chemical Abstracts Service (CAS) number. There is also aerial and ground level views of each site. A map of towns/cities showing the location of hazardous material is included. The eighth section is a map of Codington County that has the Federal and State Highways, Codington County and township roads, the railroad system, the natural gas and fuel pipelines and a symbol for chemical sites. A hazardous material commodity flow study which is available in the Emergency Management office was conducted in 2025. It documents that the bulk of chemical traffic is on Interstate 29, US Highways 81 and 212 plus SD Highway 20. The predominate chemical is in Hazard Class 3 (Flammable Liquid) and is transported by a tanker trailer truck. Glacial Lakes Energy assisted in the study by providing data regarding the receiving and shipping of chemicals used in the production of ethanol. Most of their chemical movement is via the railroad.

The First District Association of Local Governments created this plan with the help of the Geographic Information System (GIS) department. Sites were located using Pictometry imagery from 2025 to produce an aerial view of each hazardous material facility. The ground level photos were taken with a digital camera; then converted to Joint Photographic Experts Group (JPEG). The maps were made using Arc GIS Pro 3.6.2 data which was also converted to JPEGs. Layouts for each site were provided by the Tier II contact person. The DEM, Watertown Fire Chief and the assistant Fire Chief (HAZMAT response team leader) also helped develop this plan. Some of the EHS do not have an assigned CAS number because they are a mixture of more than one chemical. They are listed for each site with "mixture" for the CAS number and a zero for the hazard class.

CERTIFICATE OF ADOPTION

The Codington County LEPC, in meeting on Sept 8th, 2026 hereby adopts the HAZMAT Plan as the official document for all hazardous material responses.

Chairperson, Codington County LEPC

Attest:

Cheri Howell
Secretary, Codington County LEPC

Codington County DEM

CERTIFICATE OF ADOPTION

The Codington County Commission, in assembly on Sept 22nd, 2026 hereby adopts the HAZMAT Plan of the Codington County LEPC as the official document for emergency operations concerning hazardous material.

Chairman

Commissioner

Commissioner

Commissioner

Commissioner

Attest:

Codington County Auditor

SEAL OF THE COUNTY AUDITOR SOUTH DAKOTA CODINGTON COUNTY

TABLE OF CONTENTS

Page

Summary 1

Certification of Adoption 2

Table of Contents 3

Background 7

Introduction 8

Local Emergency Planning Committee 11

Plan of Operations 16

Notification Information 21

Resource List 26

Primary and Secondary Contact Roster 29

Tier II Facility Information 35

Hazardous Material Facility Quick Reference

Facility Name	Address	ID #	Page
ACCO Nutting	450 Pheasant Ridge Dr, Watertown	CD 0098	65
Agwrx Cooperative – Watertown Ag Center	812 20th Ave SW, Watertown	CD 0115	69
Agwrx Cooperative – Florence	118 E Main Ave, Florence SD	CD 0017	209
Agwrx Cooperative – Main Office	811 Burlington Northern Dr, Watertown	CD 0041	71
Agwrx Cooperative - Wallace	102 7th Ave, Wallace	CD 0036	217
Agwrx Cooperative – Wallace Agronomy Center	43680 SD Hwy 20, Wallace	CD 0118	73
Airgas USA, LLC – Watertown SD N523	3100 9th Ave Suite 300, Watertown	CD 0121	77
A-OX Welding Supply Company	1617 9th Ave SW, Watertown	CD 0097	79
Arrow Truck Line	815 10th St NW, Watertown	CD 0119	83
Avantara Watertown	415 4th Ave NE, Watertown	CD 0085	85
B & G Welding	2925 9th Ave SW, Watertown	CD 0100	87
Benchmark Foam	401 Pheasant Ridge Dr, Watertown	CD 0049	89
Century Link QC (Quest)	116 Maple St S, Watertown	CD 0033	91
CHS Inc. Liquid Plant	814 20th Ave SW, Watertown	CD 0114	95

Hazardous Material Facility Quick Reference - continued

Facility Name	Address	ID #	Page
CHS Inc. Watertown Crop Nutrients LLC	710 20th Ave SW, Watertown	CD 0106	99
Codington Clark Electric Cooperative – Headquarters	3520 9th Ave SW, Watertown	CD 0110	103
Codington Clark Electric Cooperative – Pole Yard	725 54th St SW, Watertown	CD 0111	105
Crenlo Engineered Cabs	315 Airport Dr NW, Watertown	CD 0067	107
Crowned Ridge Wind I, LLC	19138 464th Ave, Watertown	CD 0127	111
Custom Fabricators	1900 14th Avenue NW, Watertown	CD 0093	113
Dakota Bodies LLC	201 20th Ave SE, Watertown	CD 0108	115
Dakota Tube	221 Airport Dr NW, Watertown	CD 0012	119
Dakota Tube, Building 3	221 Pheasant Ridge Dr, Watertown	CD 0132	123
Dakotaland Manufacturing	400 Airport Dr, Watertown	CD 0131	131
Florence Bulk	Main Street & Hwy 25, Florence	CD 0130	213
GCC Ready Mix - Watertown	1301 23rd Str SE, Watertown	CD 0102	127
Glacial Lakes Energy	301 20th Ave SE, Watertown	CD 0087	129
Harms Oil Company	1101 17th St SE, Watertown	CD 0021	131
Hefty Seed Company	17347 458th Ave, Watertown	CD 0068	133
Interstate Telecom Cooperative Inc. (ITC)	708 Fourth St, Florence	CD 0034	211
Interstate Telecom Cooperative Stockholm-Strandburg (ITC)	114 N Main St, South Shore	CD 0035	43
Interstate Telecom Cooperative (ITC)	1329 41st Street SE, Watertown	CD 0082	137
Magellan Pipeline Company – Watertown Terminal	1000 17th St SE, Watertown	CD 0042	139
Miller Electric Manufacturing Company	2601 Lockheed Ave NW, Watertown	CD 0030	143
Parker Hannifin Corporation	400 Cessna St NW, Watertown	CD 0107	147
Prairie Lakes Healthcare System	401 9th Ave NW, Watertown	CD 0084	151
SDARNG – Brigadier General Ernie Edwards Readiness Center	1951 SD Hwy 20 N, Watertown	CD 0109	155
Sioux Valley Cooperative (CENEX)	2430 9th Ave SW, Watertown	CD 0040	157
Sioux Valley Cooperative (CENEX)	313 W Berry Ave, South Shore	CD 0061	45
Skywest Airlines	550 Airport Dr, Watertown	CD 0129	161

Hazardous Material Facility Quick Reference - continued

Facility Name	Address	ID #	Page
Terex South Dakota	3140 15th St SE, Watertown	CD 0128	165
Terex South Dakota	1901 14th Ave NW, Watertown	CD 0120	167
Titan Machinery – Watertown	3934 9th Ave SE, Watertown	CD 0126	169
Twin City Die Castings Company	122 Cessna St NW, Watertown	CD 0089	171
Water Treatment Plant	1415 6th Ave NW, Watertown	CD 0037E	175
Watertown 345 Substation	1330 41st St SE, Watertown	CD 0133	177
Watertown Operations Center	1330 41st St SE, Watertown	CD 0135	181
Watertown Repeater	1330 41st St SE, Watertown	CD 0136	185
Watertown Static Var Substation	1330 41st St SE, Watertown	CD 0134	189
(WAPA) Western Area Power Administration Watertown 230 Substation	1330 41st St SE, Watertown	CD 0066F	193
WMMPA - WPP	123 4th St NE, Watertown	CD 0095	197

Maps

Codington County....37
- Northwest Codington County....205
  - Florence....207
  - Wallace....215
- Northeast Codington County....39
  - South Shore....41
- Southwest Codington County....201
  - Henry....203
- Southeast Codington County....49
  - Kranzburg....51
- Watertown....53
  - Northwest Quadrant Watertown....61
  - Northeast Quadrant Watertown....55
  - Southwest Quadrant Watertown....59
  - Southeast Quadrant Watertown....57
  - Lake....63
- Transportation Routes....219

Grants....221

Glossary....223

Acronyms....225

Hazardous Material Incident Report....227

Hazardous Material Incident Follow-Up Report 229
Equipment Resources 231
Community Shelters 233
Comprehensive Hazmat Response Plan Checklist 235

BACKGROUND

On December 4, 1984, a cloud of Methyl Isocyanate gas escaped from a Union Carbide chemical plant in Bhopal, India. More than 3,000 people died and thousands suffered permanent disabilities. A chemical release in West Virginia shortly after the Bhopal incident, though not nearly as serious, posed the question of whether a catastrophic chemical disaster could happen in the United States. Before 1984, people were trained to deal with hazardous material emergencies at the federal, state and local levels; but there was not a mandatory, comprehensive national program to deal with chemical emergencies. The Bhopal tragedy started a chain of events in the United States that made planning for, and responding to, chemical accidents mandatory at all levels of government. Each State created laws that gave workers and citizens the right to access information about hazardous substances in their communities. In 1986 Congress passed the Superfund Amendments Reauthorization Act (SARA). SARA contains three subtitles, but most of the regulations involving general LEPC activities fall under SARA Title III. Title III of SARA is also known as the Emergency Planning and Community Right-to-Know Act (EPCRA). The interchangeable use of EPCRA and SARA, Title III often leads to confusion, but they are the same. Many of the voluntary programs and state laws became federal law with the passage of EPCRA. The law requires that detailed information about the nature of hazardous substances in or near communities be made available to the public. It provides stiff penalties for companies that **do not** comply and also allow citizens the right to file lawsuits against companies and government agencies to force them to comply. EPCRA also requires each state to establish a State Emergency Response Commission (SERC) to deal with hazardous materials issues at state levels. The SERCs in turn are required to establish LEPCs.

EPCRA contains four major provisions dealing with hazardous chemicals. They are:

- Planning for chemical emergencies;
- Providing emergency notification of chemical accidents;
- Reporting hazardous chemical inventories; and
- Reporting routine toxic chemical releases.

INTRODUCTION

The use, storage and transportation of hazardous substances have increased in volume each year. As new chemicals are developed, new hazards are created. County residents and elected officials are concerned about an accidental or uncontrolled release (e.g., highway accident, train derailment, plane crash, fire or weather-related disaster). Therefore, to stay current in potential hazardous material release sites, the commissioners of Codington County requested a document that consolidates basic information pertaining to hazardous material legislation, LEPC structure and responsibilities, plus the individual facility response and evacuation plans.

NOTE: Throughout this document, the terms "facility", "hazardous material", and "release" are used repeatedly to emphasize that this plan has, as its main focus, the identification of each "hazardous material" "facility" within Codington County and the response and evacuation procedures if there is an accidental or uncontrolled "release".

"Facility" is defined as all buildings, equipment, structures or other stationary items that are located at a single E-911 address. If the same person, company or corporation operates another site with a different E-911 address, a separate "facility" will be listed.

"Hazardous Material" is defined as any substance where an accidental or uncontrolled "release" could cause injury/death to humans and damage to property or the environment. Included are explosives; flammable liquids, flammable compressed gases or flammable solids; toxic chemicals; poisons; and oxidizing, corrosive or radiological material.

"Release" means the spilling, leaking, pumping, pouring, emitting, emptying, discharging, leaching, dumping, or disposing (including the abandonment or discarding of barrels, containers and other closed receptacles) of any "hazardous material".

1. Information Management

Because EPCRA refers to several different lists of chemicals, managing the information reported under the act can be difficult. The LEPC should receive:

Under Section 302, information regarding any facility located within Codington County that uses an EHS or stores a chemical in a quantity greater than the TPQ. The list is maintained by the Environmental Protection Agency (EPA) and made available to the South Dakota Department of Environment and Natural Resources (DENR).

Under Sections 311 and 312, information regarding any EHS or chemical defined as dangerous under the Occupational Safety and Health Administration (OSHA) regulations. This list is constantly changing because thousands of chemicals could meet the criteria. Facilities are required to submit data detailing the location and amount of each chemical stored above the TPQ.

2. Facility Compliance

A. What is the role of the LEPC in obtaining facility compliance?

EPCRA provides enforcement mechanisms, but the degree by which full compliance through law enforcement can be pursued will depend on the situation. As the plan is implemented, it may be discovered that some facilities within the county have not complied with the law. The reason will likely be that the facility was either unaware of the law or hoped it would not be discovered. Sometimes, a facility simply does not want to cooperate. The LEPC may have to take legal action to overcome the lack of compliance from a facility.

INTRODUCTION - continued

B. What is the role of the SERC?

Under SARA, Title III, the SERC is the focal point for hazardous material emergency planning at the state level. The SERC should be viewed as a support resource. The administrative arms of the SERC are the DENR and the Division of Emergency Management (OEM).

C. Why does facility compliance matter?

Facility compliance with reporting requirements is central to the EPCRA. Since the enactment of SARA, Title III, South Dakota counties have spent considerable time and energy locating hazardous material facilities. To a great degree the plans have enhanced the safety of emergency responders and citizens in each community. Some facilities still remain unnecessary risks to responders and to the community by not providing the required information on chemical use and storage.

D. How can compliance be achieved?

The LEPC can work with local organizations, such as the chamber of commerce, to gain compliance from businesses. Site visits or community meetings may also be helpful. State government is working to educate facilities subject to SARA, Title III by conducting seminars and compliance workshops. Information sources to find non-compliance are water permits and air permits. Also, working with local fire departments will help identify facilities that store large quantities of chemicals.

E. When an out of compliance facility is identified, what are the options?

Direct contact with the facility owner or manager may be the easiest and most effective way to convince the facility to comply. If the facility refuses to comply or the LEPC is not satisfied with the information, further action is necessary.

F. What does the law provide to help the LEPC obtain information from a facility?

Two sections of SARA, Title III authorize the LEPC to obtain information. Section 303(d)(3), an enforceable provision, requires a facility to submit information deemed necessary for developing a hazardous material plan. Section 312, also an enforceable provision, requires a facility to report its inventory of hazardous material to the fire department, LEPC and SERC annually. It authorizes the local fire department to inspect the facility and verify the specific location of extremely hazardous substances. The LEPC should send each facility owner a letter requesting the information needed.

G. What if a facility fails to provide the information requested?

A civil action against a facility can be initiated by filing suit in Federal District Court or by referring the facility to the EPA.

H. Are farmers/ranchers covered under SARA, Title III? What do they have to do?

Farm and ranch owners or operators are most likely to be subject to the emergency planning requirements of Section 302. Farms and ranches were not exempt from this provision, since the law was designed to identify all facilities that have extremely hazardous substances in excess of its TPQ. The TPQ emergency planning trigger is based on public health concerns rather than the type of facility where the chemicals might be located. While most farms and ranches that use chemicals may not present a significant hazard within the county due to their rural location or short holding time, some farms and ranches may present a potential hazard if the chemical is located near a populated area.

INTRODUCTION - continued

Even in a rural area, large volume storage could also be a concern. Although these substances may only be stored or used periodically, there is always the possibility of an accident. Finally, in the event of a fire on a farm or ranch, local responders must know what chemicals they might encounter in order to take precautionary measures. To meet the emergency planning requirements, farm and ranch owners or operators must:

(1) Determine if they have any extremely hazardous substances in excess of the TPQ. This requirement applies even if the chemical is present for only a short period of time before use.

(2) If one or more of the extremely hazardous substances is present in excess of its TPQ, notify the LEPC.

3. Release Notification

SARA, Title III, Section 304 and the State of South Dakota require that the LEPC and the SERC be notified whenever an extremely hazardous substance or toxic chemical is released into the environment in excess of its Reportable Quantity (RQ) (see attachment 1). They also require a written follow-up report to the LEPC and SERC (see attachment 2).

Farmers and ranchers may also be covered by the notification requirements if they release any extremely hazardous substance. However, the release of a pesticide when used in accordance with its intended purpose, i.e. during routine agricultural applications according to product label instructions, is exempt from this reporting. Also, normal application of fertilizer does not need to be reported. An accidental release of such substances or other release not in accordance with its intended purpose that is in excess of the RQ must be reported if there is a potential for exposure to nearby populated areas.

4. Training and Certification

The National Response Team (NRT) has published an Emergency Planning Guide (NRT-1) that describes the role of the LEPC in identifying the training needs of local emergency managers and responders. The EPA and OSHA have also published instructions for training emergency responders. **The LEPC is not responsible for certification of training.** That is a responsibility of the employer of an emergency responder under the EPA and OSHA regulations.

5. Community Right-to-know

Section 324 of the EPCRA provides for public access to information gathered under the law. This section requires all hazardous chemical inventory forms, Material Safety Data Sheets (MSDS), toxic release inventory forms, follow-up spill notices and plans be made available to the public. The LEPC must publish a notice annually to inform the public of the availability and location of the information.

LOCAL EMERGENCY PLANNING COMMITTEE

1. Structure

A. Membership and Officers

1) Membership

The LEPC should be limited to people who live or are employed within Codington County and are willing to serve. One person can represent more than one group. Appointments are made by the Codington County Commissioners. Committee members will serve a one-year term with the appointment made by the County Commission at its fourth meeting in January. The committee will meet at least once per calendar quarter. Each member will be notified by the secretary via mail of the date, time and place. The SERC will review the affiliation of nominees to assure legal requirements for membership are met. The LEPC should include representatives from:

a) Government (State, County and City)
b) Tier II Facilities (Owners or Managers)
c) Fire Departments
d) Law Enforcement Agencies
e) Environmental
f) Hospitals or Clinics
g) Transportation
h) Media
i) Community Groups
j) Emergency Management Office

2) Officers

The LEPC officers should consist of a Chairperson, a Vice-Chairperson and a Secretary. Important factors to consider in choosing officers are leadership ability, availability and commitment. Should the position of Chairperson become vacant, the Vice-Chairperson will move into that position and another Vice-Chairperson elected by the committee. The Codington County Emergency Management Director is also the County Title III Coordinator and will serve (or designate someone to serve) as Secretary for the LEPC. No term limit is placed on the number of years that an officer may serve.

B. Subcommittees

Subcommittees may be formed to:

- Gather and review existing emergency operations plans.
- Coordinate with the SERC and other LEPC's.
- Provide evacuation instructions to residents around potential “release” sites.
- Consolidate a list of emergency response equipment.
- Identify financial resources.
- Train and exercise responders.
- Provide information to Codington County citizens.

Local Emergency Planning Committee - continued

C. Volunteers and Members-at-large

The suggested LEPC membership list in paragraph A is a good starting point for obtaining members. Meet with representatives of these groups and inform them about the EPCRA and the purpose of the LEPC. Involving individuals who have hazardous material expertise is also recommended.

2. By-Laws

A. Purpose:

The purpose of this committee is to carry out the responsibilities set forth in the South Dakota Codified Laws, the various Federal Laws and Regulations and SARA, Title III and to assure that Codington County is in compliance with them.

B. Responsibilities

1) Develop an emergency response plan and evaluate resources if a chemical release occurs in Codington County. To insure compliance with SARA, Title III requirements, the following items should be accomplished:
   a) Identify each facility that uses an EHS or stores a chemical in a quantity greater than the TPQ from a list of toxic materials maintained by the EPA.
   b) Identify all highway and railroad routes where carriers transport hazardous material.
   c) Document a countywide emergency operations plan.
   d) Designate Tier II facility contacts to implement the plan.
   e) Determine potential release areas and populations that could be affected.
   f) Document evacuation plans.
   g) Identify emergency equipment.
   h) Document a training plan and ways to exercise the plan.
2) Maintain documents identifying hazardous material and its associated risk to the health and safety of county residents.
3) Track reports of incidents from other counties through the SERC and the National Response Center (NRC) to have reference information available to solve potential problems.
4) Inform the SERC whenever a reportable chemical release occurs.
5) Publish an annual notice to the county residents informing them of the availability of this document.

C. Finances

The LEPC may keep a checking account it no tax dollars are involved. The Chairperson and Vice-Chairperson are authorized to sign checks. These funds may only be used to promote functions of the LEPC, which will approve the transaction before payment is made to the vendor.

D. By-law Changes

By-laws may be amended by a majority of the LEPC members present at the meeting.

Local Emergency Planning Committee - continued

3. Roster

NAME	REPRESENTING
Cole Jurgen	Codington Clark Electric
Steve Molengraaf	Codington County Maintenance and Weed
Brenda Hanten	Codington County Auditor
Randall Schweer	Codington County Commissioner
Andrew Delgado **	Codington County Emergency Management
Cheri Howell ***	Codington County Emergency Management
Randy Falvey	Codington County Highway Department
Lynn Solberg	Codington County Highway Department
Jamie Torstenson	Codington County Search and Rescue
Tyler McElhany	Codington County Commissioner
Brad Howell	Codington County Sheriff
Steve Greenfield	Dakota Tube Inc
Amanda Murray	Dakota Tube Inc
Amy Hofmeister	Glacial Lakes Energy
Andy Wicks	Performance Towing
Monica Everson	Prairie Lakes Hospital
Joyce Hallauer	Prairie Lakes Hospital
Jim Sutton	Retired Codington County Emergency Management
Dave Wicks	Retired South Dakota Game, Fish, & Parks
Mark Thyne	Retired National Guard
Lee McPeek	Retired Watertown Police Department
Jeff Riley	Retired Watertown Street Department
Mike Oletzke	Retired Watertown Fire Rescue
Carrie Hawley	Sanford Health
Codie Storm	South Dakota Department of Health
Jackson Knight	South Dakota Game, Fish, & Parks

Local Emergency Planning Committee – continued

Roster - continued

NAME	REPRESENTING
Kyle Lenzner	South Dakota Game, Fish, & Parks
Jerry Kastein	South Dakota Highway Patrol
Ayrton Williams	Terex
Ralph Wamsher	Twin City Die Casting
Ryan Keller	Wallace Fire Department
Adam Bloom *	Watertown Fire Rescue
Chad Fischer	Watertown Fire Rescue
Scott Jongbloed	Watertown Fire Rescue
Craig Kruse	Watertown Fire Rescue
Gary Langerock	Watertown Fire Rescue
Don Rowland	Watertown Fire Rescue
John Lunde	Watertown Municipal Utilities
Ryan Beauchamp	Watertown Police Department
Kirk Ellis	Watertown Police Department
Steve Rehorst	Watertown Police Department
Ryan Remmers	Watertown Police Department
Tim Toomey	Watertown Police Department
Troy VanDusen	Watertown Police Department
Justin Petersen	Watertown Public Works
Brian Bollinger	Watertown School District
Rob Beynon	Watertown Street Department
Sue Peterson	Watertown Street Department
Robert Dari	Watertown Wastewater
Larry Howard	Watertown Wastewater
Brad Miles	Watertown Wastewater

Local Emergency Planning Committee – continued

Roster - continued

Craig Mitchell	Watertown Wastewater
Troy Wishard	Wishard Insurance

* Chairperson ** Vice Chairperson *** Secretary

PLAN OF OPERATIONS

1. Purpose

This plan is designed to provide specific procedures and guidelines for response to an actual incident involving hazardous material and will assist the LEPC in complying with existing Federal and State legislation. It will also enable the LEPC, fire departments, law enforcement agencies, health professionals, industries, small businesses, farmers or ranchers and others to identify the type and location of chemical hazards, vulnerable areas and populations, and the risk of an accident. **It is not a stand-alone plan**. It must be supported by other state, local and facility emergency operations plans.

2. Objectives

A. To identify the area likely to be affected by a hazardous material "release".
B. To determine the potential severity of a "release".
C. To notify first responders and ensure their safety.
D. To notify the people within the affected area and ensure their safety.
E. To establish emergency procedures including evacuation.
F. To clean up and dispose of hazardous material.

3. Authorities

A. The Federal Water Pollution Act of 1972
B. The Federal Resource Conservation and Recovery Act of 1976
C. The Federal Comprehensive Environmental Response, Compensation, and Liability Act of 1980
D. The Federal Superfund Amendment and Reauthorization Act of 1986
E. The Federal Clean Air Act of 1990
F. South Dakota Codified Law (SDCL):
    1) SDCL 33.15 Emergency Management
    2) SDCL 34-38 Flammable and Combustible Liquids
    3) SDCL 34-39 Liquefied Petroleum Gases
    4) SDCL 34A-1 Air Pollution Control
    5) SDCL 34A-2 Water Pollution Control
    6) SDCL 34A-6 Solid Waste Management
    7) SDCL 38-19 Commercial Fertilizer
    8) SDCL 38-21 Agricultural Pesticide Application
    9) SDCL 49-28A Hazardous Material Transportation Safety

4. References

A. List of Lists – Consolidated List of Chemicals Subject to the Emergency Planning and Community Right-to-Know Act and the Clean Air Act
B. Local Emergency Operations Plan (LEOP)
C. South Dakota Emergency Operations Planning Committee Handbook
D. Hazardous Materials Emergency Planning Guide, NRT-1
E. 2016 Emergency Response Guidebook

PLAN OF OPERATIONS - continued

5. Operations

Hazardous material operations plans will be executed in two phases:

A. Response Phase

1) Notification

a) When the release of hazardous material exceeds the standards of SARA, Title III, the responsible party must contact an emergency communications center dispatcher (call 911) to report the incident.

b) The dispatcher will alert the Watertown Fire Department's Hazmat Team and the Codington County Emergency Management Director. The Emergency Management Director will notify personnel as specified in the South Dakota OEM Incident Reporting Guidelines.

c) Personnel involved in the incident must provide the information to complete the Hazardous Material Incident Report form. (See Attachment 1)

2) Command and Control

a) Upon occurrence of a hazardous material release or threatened release, control of the situation will be assumed by the first Public Safety Officer arriving on-scene who becomes the Incident Commander until relieved by a qualified person. The Incident Commander will immediately establish an on-scene command post with communications capabilities; determine the type, location and quantity of the chemical involved; establish a restricted area to control entry and keep all personnel at a safe distance until the extent of the situation is determined.

b) The Director of Emergency Management or designee may activate the Emergency Operations Center (EOC), which will be manned by personnel listed in the LEOP.

c) The Incident Commander along with other responders must take the following actions using the acronym **DECIDE**.

Determine which hazardous material is present
Estimate likely harm potential to people and environment
Choose response tasks/objectives
Identify action options
Do best option
Evaluate progress

d) This assessment should be completed rapidly and transmitted via telephone or radio to the DEM/EOC.

e) The Incident Commander will determine when responders can enter the restricted area. Personnel will refrain from entering the danger area unless they are confident that such entry can be made without injury or exposure to the hazardous material. When entry is made, protective clothing must be worn.

f) A log of events will be kept at the command post by a person designated by the Incident Commander. In addition, a record will be maintained to log entry/exit of on-scene personnel and decontamination on each person. If possible, a videotape log should be made of the entire operation.

PLAN OF OPERATIONS – continued

A. Response Phase - continued

2) Command and Control - continued

g) Updating the assessment of the situation is a priority activity. Remain close to a telephone or radio to provide information to the EOC or receive warnings of potential changes in weather conditions.

3) Responder Procedures

a) When notified of a hazardous material release or threatened release, emergency response personnel with all assigned personal equipment will report to the on-scene command post or the EOC as directed.

b) Emergency response personnel will proceed to their designation as quickly and safely as possible. Emergency lights may be utilized if warranted. Responsibility for using emergency lights is outlined in SDCL, Volume 10B, Title 32 (Motor Vehicles), Chapter 31 (Emergency Vehicles). Vehicles should be parked out of the immediate danger area.

c) Emergency response personnel must keep in mind that their personal safety is of paramount concern and should not be jeopardized. Avoid exposure to smoke, dust, mists, liquids, radioactive material or any unknown material. If radioactive material is involved, dosimeters must be made available and worn. All personnel without proper protective equipment should be removed from the danger area.

d) Each responding agency will conduct its operations in accordance with procedures outlined in the Codington County LEOP. However, all operational activities must be coordinated with the Incident Commander and the EOC. Joint decision-making is critical to the successful conclusion of the incident.

e) Scene control is considered a law enforcement function. If additional resources are needed, a request for assistance should be made to the South Dakota Highway Patrol, Codington County Sheriff's Department or the Watertown Police Department.

f) Emergency response personnel will enter and exit the restricted area through designated points for monitoring and decontamination.

4) Evacuation

Refer to the facility plan for an evacuation procedure (on and off site). In the early stages of response, the facility coordinator is responsible to recommend to the Incident Commander when to initiate the evacuation. When the Incident Commander and emergency responders are able to assess the situation, EOC personnel will make all decisions concerning the extent of an evacuation. If an evacuation is implemented, the LEOP will be utilized to ensure:

a) Law Enforcement personnel conduct off-site evacuation operations (restricted use of roads, barricades, etc.).

b) The Individual and Family Assistance function is activated.

PLAN OF OPERATIONS – continued

A. Response Phase - continued

5) Warning/Emergency Public Information

Refer to the Codington County Emergency Alert System (EAS) Plan for implementation of an emergency warning. Request State support by contacting South Dakota OEM.

6) Containment and Control of Life-Threatening Hazards

All reasonable efforts should be made by emergency response personnel to treat injured persons, suppress fires, and contain and stabilize the hazardous material. These activities might occur concurrently but, should precedence be given, it is recommended to proceed as follows:

a) Evacuate all casualties; lifesaving activity is the highest priority.
b) Suppress fires as quickly as possible.
c) Control the chemical release by stopping flow, spillage or leakage.
d) Contain the hazardous material in the smallest area possible.

B. Recovery Phase

The recovery operation is the responsibility of the Codington County DEM who will coordinate with the South Dakota OEM. The Incident Commander will coordinate on-scene recovery operations with all responding State and Federal agencies.

1) Clean-up and Disposal of Hazardous Material

The Federal Resource Conservation and Recovery Act stipulates that owners, shippers and carriers are responsible for cleanup and disposal of hazardous material releases. The DEM will coordinate with the South Dakota DENR to ensure that clean up complies with all applicable State and Federal regulations. If compliance is not obtained, the DEM will recommend to the Codington County Commissioners that a private contractor be hired to clean up the site.

2) Reporting

In the event of an incident, the facility owner, user, operator or transporter of the hazardous material will submit written reports to the DENR, LEPC, and the SERC. These reports will include photographs, statements from witnesses and any other documentation that establishes a record of events.

3) Expenses

a) Each supervisor of emergency responders is responsible for maintaining a record of expenses incurred. These include not only normal personnel and equipment usage but also costs for special equipment and supplies.
b) The facility owner, user, operator or transporter is responsible for reimbursing Codington County or the City of Watertown for costs required to control, contain, dispose of, and repair the damage from a HAZMAT incident.
c) Responding agencies may be reimbursed.

4) Updating the Plan, Exercising and Training

a) In order to be compliant with National Incident Management System (NIMS) requirements, Codington County Emergency Management provides Incident Command System (ICS)/NIMS training, as well as hazardous materials training, for first responders in Codington County. This training provides instruction in the preparedness, response, recovery, and mitigation phases for hazardous materials incidents as well as other types of incidents.

PLAN OF OPERATIONS – continued

4) Updating the Plan, Exercising and Training - continued

b) In addition to the training, the plan is exercised through tabletop, functional, or full-scale exercises, at least once a year, to test response capability within the facility and/or community. These exercises, along with actual hazardous materials incidents, provide a means of identifying necessary improvements and updates. Following each exercise, after action and corrective action reports are completed and kept on file in the Emergency Management Office. Exercising is necessary to test response capability to a facility or community.

c) Updating the Hazardous Materials Plan is a continuous and cooperative effort involving the LEPC, SERC, and local, state, and federal agencies. The plan will be reviewed and updated on an annual basis.

NOTIFICATION INFORMATION

DIRECTOR OF EMERGENCY MANAGEMENT

Andrew Delgado (605) 882-6272
(605) 520-6272

FIRE DEPARTMENTS

Community	Fire Chief	Telephone
Florence	Josh Petersen	(605) 203-0867
Henry	David Fuller	(605) 881-2968
South Shore	Dustin Gottshalk	(605) 237-6275
Wallace	Ryan Keller	Home (605) 758-2018 Work (605) 758-2561 Cell (605) 881-6316
Watertown	Don Rowland	(605) 882-5030 (605) 881-8266

LAW ENFORCEMENT

Agency	Telephone
Codington County Sheriff's Office	(605) 882-6280
Federal Bureau of Investigation – Sioux Falls Office	(605) 334-6881
Game, Fish and Parks Conservation Officers	(605) 882-5200
Highway Patrol – Aberdeen Office	(605) 626-2286
Watertown Police Department	(605) 882-6210

MEDICAL FACILITIES

If an extremely hazardous substance is involved, the medical facility must be told the chemical name and the number of casualties.

Hospital/Clinic	Telephone
Brown Clinic – Watertown	(605) 886-8482
Prairie Lakes Hospital (Sanford Watertown Medical Center)	(605) 882-7000
Sanford Clinic – Watertown	(605) 886-8471

NOTIFICATION INFORMATION - continued

AMBULANCE SERVICES

If a hazardous material incident occurs and an ambulance is needed, the driver must be told to report to a designated location for command-and-control purposes.

City/Town	Telephone
Watertown	(605) 882-6200
Clark	(605) 532-5665

EMERGENCY HELICOPTER SERVICES

Name and Location	Telephone
Avera McKennan Air Ambulance – Sioux Falls	(800) 367-3278
Sanford AirMed – Sioux Falls	(844) 424-7633

NATIONAL EMERGENCY AGENCIES

Agency	Telephone
Bureau of Explosives/Association of American Railroads	(202) 639-2265
Chemical Transportation Emergency Center	(800) 262-8200
Environmental Protection Agency (EPA)	(303) 312-6312
Federal Emergency Management Agency (FEMA)	(800) 621-3362
National Center for Disease Control	(800) 232-4636
National Response Center (NRC)	(800) 424-8802
Poison Control Center	(800) 222-1222

SOUTH DAKOTA EMERGENCY AGENCIES

Agency	Telephone
Department of Emergency Management – Pierre	(605) 773-3231
Department of Agriculture & Natural Resources – Pierre	(605) 773-5559
Department of Health – Pierre	(605) 773-3361
Department of Transportation – Pierre	(605) 773-3265
Fire Marshal – Pierre	(605) 773-3562

NOTIFICATION INFORMATION - continued

REGIONAL EMERGENCY AGENCIES

Agency	Telephone
Coteau Environmental Consultants – Watertown	(605) 886-4009
Department of Agriculture & Natural Resources – Watertown	(605) 773-3151
Fire Marshal – Clear Lake	(605) 874-8122
Highway Patrol – Aberdeen	(605) 626-2286
Office of Emergency Management – Aberdeen	(605) 626-2236
Weather Service Office – Aberdeen	(605) 225-0519

UTILITIES

Electric

Watertown Municipal Utilities ..... (605) 882-6233
Codington-Clark Electric Cooperative ..... (605) 886-5848
East River Electric Cooperative ..... (605) 256-4536
Northwestern Energy ..... (800) 245-6977
Otter Tail Power Company ..... (800) 257-4044
Whetstone Valley Electric Cooperative ..... (605) 432-5331

Water

Watertown Municipal Utilities ..... (605) 882-6233
Sioux Rural Water System ..... (605) 882-1321

Waste Water Treatment

Watertown Municipal Utilities ..... (605) 882-6233

CORONER

Terry Sorensen ..... (605) 881-0015

COMMUNITY ASSISTANCE

Red Cross – Sioux Falls ..... (605) 336-2448
Salvation Army – Watertown ..... (605) 886-4030

NOTIFICATION INFORMATION - continued

EMERGENCY SHELTERS

Codington County Extension Center Complex – Watertown ..... (605) 882-6300
1 60 Killowatt (KW) generator, kitchen facilities capable of feeding 200-299 people, no pre-packed food, restrooms, no medical supplies, 51-99 cots, 51-99 blankets, will be staffed by locally trained personnel

Community Center – Florence ..... (605) 758-2183
1 30 KW generator, kitchen facilities capable of feeding 100-199 people, no pre-packed food, restrooms, no medical supplies, 8 cots, no blankets, will be staffed by locally trained personnel

Community Center – Henry ..... (605) 532-3230
1 12 KW generator, kitchen facilities, no pre-packed food, restrooms, no medical supplies, 12 cots, no blankets, will be staffed by locally trained personnel

Community Center – South Shore ..... (605) 756-4130
1 30 KW generator, kitchen facilities capable of feeding 100-199 people, Restrooms, no medical supplies, 12 cots, no blankets, will be staffed by locally trained personnel

Community Center – Wallace ..... (605) 881-1679
8 cots, will be staffed by locally trained personnel

TELEPHONE COMPANIES

Land Line

AT&T ..... (800) 288-2020

Century Link ..... (800) 954-1211

Interstate Telecom Cooperative ..... (800) 395-4656

Midcontinent Communications ..... (800) 888-1300

Vast Broadband ..... (605) 753-7430

Century Link Communications ..... (877) 879-4357

Cellular

AT&T ..... (605) 886-4692

Sprint ..... (605) 886-0951

Verizon Wireless ..... (605) 886-6060

NEWSPAPERS

The Watertown Current ..... (605) 657-1797

South Shore Gazette ..... (605) 756-4200

NOTIFICATION INFORMATION - continued

RADIO STATIONS

Watertown Radio ..... (605) 886-8444 (Main Office)
(KDLO, KIXX, KWAT, KSDR, KS93, KKSD)
KJSD – FM 90.3 South Dakota Public Radio ..... (800) 456-0766
KPHR – FM 106.3 ..... (605) 884-3548
KXLG – FM 99.1 ..... (605) 753-9910
Northeast Radio SD ..... (605) 878-1880

TELEVISION STATIONS

KDLT – NBC – Sioux Falls ..... (605) 361-5555
KELOLAND – CBS – Sioux Falls ..... (605) 336-1100
KSFY Dakota News Now – ABC – Sioux Falls ..... (605) 336-1300
KTTW – FOX – Sioux Falls ..... (605) 338-0017
South Dakota Public Television – Vermillion ..... (800) 456-0766

RESOURCES LIST

Many of the county resources (e.g. fire departments, highway shop, search and rescue) are listed on the internet at: https://southdakota.responders.us/

Other county private businesses with resources are identified in the appendix.

FARM EQUIPMENT AND RENTAL BUSINESSES

Business		Telephone
Faber's Farm Equipment	443 Pheasant Ridge Dr	(605) 753-8650
Kibble Equipment	1313 5th St SE	(605) 886-3545
Stan Houston Equipment Rental	920 9th Ave SW	(605) 878-3727
Titan Machinery	3934 9th Ave SE	(605) 886-5741
Tool Time Equipment Rental	1010 2nd Ave SW	(605) 882-9034
Weismantel Equipment Rental	804 9th Ave SE	(605) 882-1697
Eastside Equipment	2820 17th Ave SE	(605) 753-9897
Butler Machinery Company	603 10th St NW	(605) 954-7100
Bobcat of Watertown	1800 9th Ave SE	(605) 886-6933

FAST FOOD BUSINESSES

Business		Telephone
Arby's	1220 9th Ave SE	(605) 886-2214
Burger King	1211 9th Ave SE	(605) 886-4192
Casey's Pizza	185 4th St NE	(605) 882-5882
Casey's Pizza	20 19th St NE	(605) 886-0292
Casey's Pizza	405 10th St SW	(605) 886-0432
Chester's Chicken	1400 4th St NE (Cowboy)	(605) 886-4444
County Fair	14 2nd St NE	(605) 886-4127
Culver's	901 26th St SE	(605) 753-0440
Dagwood's Subs	180 4th St NE	(605) 886-6568
Dairy Queen	115 9th Ave SE	(605) 886-8787
Domino's Pizza	912 5th St SE	(605) 882-4242
Empire Pizza	15 1st Ave SW	(605) 882-2644
Firehouse Subs	2702 9th Ave SW	(605) 878-0264

FAST FOOD BUSINESSES - continued

Business		Telephone
Godfather's Pizza	220 10th St NW	(605) 878-2024
Marco's Pizza	817 9th Ave SE	(605) 878-2727
Wendy's	937 5th St SE	(605) 223-8097
Hy-Vee	1320 9th Ave SE	(605) 882-3311
Jimmy John's	937 29th St SE	(605) 753-1600
Little Caesars Pizza	1517 9th Ave SE	(605) 753-0057
McDonald's	407 9th Ave SE	(605) 886-7077
McDonald's	820 35th St SE	(605) 886-7807
Perkins	600 9th Ave SE	(605) 882-3700
Pizza Hut	931 5th St SE	(605) 886-9100
Pizza Ranch	217 10th St NW	(605) 882-4040
Qdoba	951 29th St SE	(605) 878-3400
Subway	505 Arrow Ave NE	(605) 882-2099
Taco Bell	911 5th St SE	(605) 878-3838
Taco Johns	24 9th Ave SE	(605) 886-3149
The Grainery	3801 9th Ave SE	(605) 882-3950
Wheel Inn	404 10th St NW	(605) 886-4649
Zesto's	209 9th Ave SE	(605) 886-4157

RESOURCES LIST – continued

LODGING

Business		Telephone
American Inn & Suites	1901 9th Ave SW	(605) 886-8011
Best Western	3901 9th Ave SE	(605) 882-3636
Budget One	309 8th Ave SE	(605) 886-8455
Country Inn	3400 8th Ave SE	(605) 657-1406
Days Inn	2900 9th Ave SE	(605) 886-3500
Econo Lodge	920 14th St SE	(605) 884-5270
Guest House	101 Broadway N	(605) 886-8061
Hampton Inn	2720 9th Ave SE	(605) 878-1800
Holiday Inn Express	2803 8th Ave SE	(605) 954-1800
Quality Inn	800 35th St SE	(605) 657-1035
Super 8	503 14th Ave SE	(605) 882-1900
Travel Host	1714 9th Ave SW	(605) 886-6120

OTHER RESOURCES

CIVIL AIR PATROL

SDOEM----------(605) 773-3231
Col Mike Beason, Incident Commander ----------(C) (605) 484-6689
Mike Cassidy, Director of Operations ----------(C) (618) 402-4629

CULLIGAN WATER CONDITIONING

Jason Hanson----------(H) (605) 886-2412 ---(W) (605) 886-4830---(C) (605) 880-5059
5 gallon – potable drinking water tanks

PORTABLE TOILETS

A-1 Portable Toilets (Sioux Falls) ----------(605) 335-0055
Dakota Portable Toilets (Watertown)----------(605) 880-1699
Common Waste (Watertown) ----------(605) 640-5482

PRIMARY AND SECONDARY CONTACT ROSTER

TIER II FACILITY	FACILITY TELEPHONE	24 HOUR TELEPHONE
ACCO NUTTING - CD 0098	605-882-3000	
(1) Brent Urban		605-520-0794
(2) Zach Beutow		605-520-5328
AGWRX COOPERATIVE - FLORENCE - CD 0017	605-758-2361	
(1) Rob Goens		605-695-8515
(2) Jeremy Valsvig		605-758-5000
AGWRX COOPERATIVE – MAIN OFFICE– CD 0041	605-886-3039	
(1) Wade Goens		605-695-3986
(2) Rob Goens		605-695-8515
AGWRX COOPERATIVE – WALLACE – CD 0036	605-758-2391	
(1) Rob Goens		605-695-8515
(1) Doug Flemming		605-880-2265
AGWRX COOPERATIVE – WALLACE AGRONOMY CENTER – CD 0118	605-758-5000	
(1) Jeremy Valsvig		605-590-1886
(2) Wade Goens		605-695-3986
AGWRX COOPERATIVE - WATERTOWN AG CENTER – CD 0115	605-886-8333	
(1) Rob Goens		605-695-8515
(2) Wade Goens		605-695-3986
AIRGAS USA, LLC – WATERTOWN, SD N523 – CD 0121	605-878-0315	
(1) Jason Bartels		605-880-7859
(1) 24 Hour Emergency Phone Number		866-734-3438
A-OX WELDING SUPPLY COMPANY INC - CD 0097	605-886-4465	
(1) Jeremy Hopewell		701-404-0605
(2) Nick Morrison		605-275-7028
ARROW TRUCK LINE- CD 0119	605-886-3760	
(1) Todd Bach		605-881-0356
(2) Tim Bach		605-881-2760
AVANTARA WATERTOWN - CD 0085	605-886-8431	
(1) Darrin Christensen		605-881-9626
(2) Tatiana Johnson		605-430-8119

TIER II FACILITY	FACILITY TELEPHONE	24 HOUR TELEPHONE
B & G WELDING - CD 0100	605-884-1023	
(1) Todd Good		605-881-5219
(2) Jayson Good		605-868-3191
BENCHMARK FOAM - CD 0049	605-886-8084	
(1) Jacquie Devine Redlin		605-868-1108
(2) Staci Smunk		605-868-0307
CENTURY LINK QC (QWEST) - CD 0033	501-680-8141	
(1) Unicall-Qwest Emerg Ctr		866-864-2255
(2) Work Env. Center		800-201-7033
CHS INC WATERTOWN CROP NUTRIENTS LLC INC - CD 0106	605-882-1351	
(1) Terry Nelson		605-520-0778
(2) Adam Egeberg		605-690-1489
CHS INC WATERTOWN CROP NUTRIENTS LLC – CD 0114	605-882-1351	
(1) Terry Nelson		605-520-0778
(2) Adam Egeberg		605-690-1489
CODINGTON CLARK ELECTRIC COOPERATIVE - CD 0110	605-886-5848	
(1) Cole Jurgens		605-886-5845
(2) Jared Terhark		605-881-2784
CODINGTON CLARK ELECTRIC COOPERATIVE - POLE YARD – CD 0111	605-886-5848	
(1) Cole Jurgens		605-886-5845
(2) Jared Terhark		605-881-2784
CRENLO ENGINEERED CABS - CD 0067	605-886-5681	
(1) Dean Jacobson		605-881-5501
(2) Jesse Spugin		605-690-4419
CROWNED RIDGE WIND I, LLC – CD 0127	661-300-1665	
(1) Ethan Oberg		320-841-1166
(2) Ryan Helmer		605-880-1226
CUSTOM FABRICATORS - CD 0093	605-886-7411	
(1) Todd Ksenych		605-881-8351
(2) Colton Ksenych		605-868-2984

PRIMARY AND SECONDARY CONTACT ROSTER - continued

TIER II FACILITY	FACILITY TELEPHONE	24 HOUR TELEPHONE
DAKOTA BODIES - CD 0108	605-882-1400	
(1) Drew Carrell		801-584-9730
(2) Chris McCay		704-796-8900
DAKOTA TUBE BUILDING 1 - CD 0012	605-882-2156	
(1) Amanda Murray		218-464-8389
(2) Paul Koistinen		605-882-2156
DAKOTA TUBE BUILDING 3 - CD 0132	605-882-2156	
(1) Natale Steinbauer		512-944-8071
(2) John Steinbauer		512-944-3724
DAKOTALAND MANUFACTURING – CD 0131	605-332-4201	
(1) Megan Lickteig		605-413-6144
(2) Keaton Perman		605-332-4201
FLORENCE BULK – CD 0130	605-886-5829	
(1) PERS – HazMat Tele Response		800-633-8253
(2) Jared Landmark		605-881-3498
GCC READY MIX - WATERTOWN - CD 0102	877-816-4422	
(1) Chad Henrich		605-216-4682
(2) Rudy Duarte		408-209-2210
GLACIAL LAKES ENERGY, LLC- CD 0087	605-882-8480	
(1) DJ Donahoe		605-670-8926
(2) Adam Butterfield		605-880-1485
HARMS OIL COMPANY - CD 0021	605-696-5000	
(1) Joe Waba		605-881-6560
(2) Professional Emergency Resource Services		800-633-8253
HEFTY SEED COMPANY 3 - CD 0068	605-886-5911	
(1) Brian Hefty		605-351-3463
(2) Jack Beutler		605-880-0787
INTERSTATE TELECOM COOP INC (ITC) - CD 0034	605-758-9052	
(1) Joshua Cokens		605-321-6763
(2) Luke Andersen		605-680-5500

PRIMARY AND SECONDARY CONTACT ROSTER - continued

TIER II FACILITY	FACILITY TELEPHONE	24 HOUR TELEPHONE
INTERSTATE TELECOM COOP INC (ITC) - CD 0035	605-758-9052	
(1) Joshua Cokens		605-321-6763
(2) Luke Andersen		605-680-5500
INTERSTATE TELECOM COOP INC (ITC) - CD 0082	605-874-2181	
(1) Joshua Cokens		605-321-6763
(2) Luke Andersen		605-680-5500
MAGELLAN PIPELINE COMPANY, LP (MPC) – WATERTOWN TERMINAL - CD 0042	605-866-3820	
(1) Brian Taylor		650-940-8743
(2) Tommy Gergen		605-520-9156
MILLER ELECTRIC MANUFACTURING COMPANY - CD 0030	605-882-3200	
(1) Ben Johnson		605-520-2686
(2) Rodney Noeldner		605-886-7785
PARKER HANNIFIN CORPORATION - CD 0107	605-878-1150	
(1) Madeleine Seeger		612-463-4444
(2) Mark Reihe		605-520-1127
PRAIRIE LAKES HEALTHCARE SYSTEM - CD 0084	605-882-7616	
(1) Steve Kroger		605-882-7000
(2) Jonathan Hoffman		605-882-7000
SDARNG – BRIGADIER GENERAL ERNIE EDWARDS READINESS CENTER – CD 0109	605-882-9326	
(1) Ryan Heezen		605-737-6830
(2) Alden Morgan		605-545-3435
SIOUX VALLEY COOPERATIVE (CENEX) - CD 0040	605-886-5829	
(1) Professional Emergency Resource Services		800-633-8253
(2) Jared Landmark		605-881-3498
SIOUX VALLEY COOPERATIVE (CENEX) - CD 0061	605-886-5829	
(1) Professional Emergency Resource Services		800-633-8253
(2) Jared Landmark		605-881-3498

PRIMARY AND SECONDARY CONTACT ROSTER - continued

TIER II FACILITY	FACILITY TELEPHONE	24 HOUR TELEPHONE
SKYWEST AIRLINES – CD 0129	605-886-1907	
(1) Ryan Wilkins		801-550-7749
(2) Suzie Steemer		605-691-8250
TEREX SOUTH DAKOTA– CD 0120	605-882-4000	
(1) Ayrton Williams		605-237-9586
(2) Rob Luken		605-695-5866
TEREX SOUTH DAKOTA – CD 0128	605-882-4000	
(1) Ayrton Williams		605-237-9586
(2) Rob Luken		605-695-5866
TITAN MACHINERY – CD 0126	605-886-5741	
(1) Justin Berry		605-881-5718
(2) Dominic Plunkett		605-303-3842
TWIN CITY DIE CASTINGS COMPANY - CD 0089	605-886-9448	
(1) Eric Negaard		605-868-6055
(2) Ralph Wamsher		605-520-5159
WATER TREATMENT PLANT - CD 0037E	605-882-6240	
(1) Wayne Lovelis		406-217-8038
(2) Bert Magstadt		605-695-6723
WATERTOWN 345 SUBSTATION – CD 0133	605-353-2500	
(1) Kevin McKenzie		406-596-2154
(2) WAPA Dispatch		800-624-8625
WATERTOWN OPERATION CENTER – CD 0135	605-353-2500	
(1) Kevin McKenzie		406-596-2154
(2) WAPA Dispatch		800-624-8625
WATERTOWN REPEATER – CD 0136	605-353-2500	
(1) Kevin McKenzie		406-596-2154
(2) WAPA Dispatch		800-624-8625
WATERTOWN STATIC VAR SUBSTATION – CD 0134	605-353-2500	
(1) Kevin McKenzie		406-596-2154
(2) WAPA Dispatch		800-624-8625

PRIMARY AND SECONDARY CONTACT ROSTER - continued

TIER II FACILITY	FACILITY TELEPHONE	24 HOUR TELEPHONE
(WAPA) WESTERN AREA POWER ADMINISTRATION WATERTOWN 230 SUBSTATION - CD 0066F	605-353-2500	
(1) Watertown Dispatch		800-624-8625
(2) Mike Werdel		605-453-0836
WESTERN MINNESOTA MUNICIPAL POWER AGENGY – WATERTOWN - CD 0095	605-886-4102	
(1) Destry Skjefte		605-880-4934
(2) Chase Bratland		605-357-6914

TIER II FACILITY INFORMATION

➔ The photos show aerial and ground level exterior structural characteristics.

➔ The layout provides the specific location of chemicals, utility system connections and rendezvous area. The rendezvous area should always be up-wind. Therefore, more than one rendezvous area, based on wind direction, can be designated.

➔ The emergency and hazardous chemical inventory section lists the official chemical name and CAS number that can be used by responders in determining fire and health factors. Some of the chemicals **do not** have a CAS number because they are a mixture of more than one chemical. The chemicals in the mixture may have individual CAS numbers listed on the Material Safety Data Sheet. The HAZMAT response team has access to the National Institute for Occupational Safety and Health booklet which lists the characteristics and description of each chemical as well as recommendations for emergency responders.

➔ The on-site procedures are a checklist for the things a person who discovers a chemical release should do when a chemical release occurs.

➔ The maps display each Tier II facility in relationship to populated areas with identification of public buildings such as fire departments, schools, hospitals and clinics. Also displayed are the probable evacuation routes.



CODINGTON COUNTY

Legend

Roads
- Interstate
- Highway
- Dirt or Trail
- Gravel
- Asphalt
- Concrete
- City or Town Street

Other Features
- Critical Sites
- Lake Traverse Reservation Bouncary
- Railroads
- County Border
- Township
- LAKES
- Pipeline

N

0 0.5 1 2 Miles

FIRST DISTRICT GIS

NE QUADRANT CODINGTON COUNTY



Legend

Roads
- Interstate
- Highway
- Dirt or Trail
- Gravel
- Asphalt
- Concrete
- City or Town Street

Other Features
- Critical Sites
- Lake Traverse Reservation Boundary
- Railroads
- County Border
- Township
- LAKES

N

0 0.25 0.5 1 Miles

FIRST DISTRICT GIS

SOUTH SHORE

Legend

Roads
- Interstate
- Highway
- Dirt or Trail
- Gravel
- Asphalt
- Concrete
- City or Town Street
- Evacuation Route

Critical Sites
- City Hall
- Courthouse
- Emergency Operations Center
- Emergency Shelter
- Fire Department
- Hazardous Material Site
- Natural Gas Supply
- Police Office
- School

Other Features
- City Limits
- Pipeline
- Railroads
- County Border
- Township
- Creek or River
- LAKES
- Lake Traverse Reservation Boundary

N

0 0 0.1 0.2 Miles

FIRST DISTRICT GIS

Interstate Telecom Coop Inc. (Stockholm – Strandburg Telephone) - CD 0035

114 N Main Street, South Shore

Latitude 45.106503 Longitude -96.928531

Aerial View

Ground View

Interstate Telecom Coop Inc. (Stockholm – Strandburg Telephone) - CD 0035

114 N Main Street, South Shore

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Sulfuric Acid/Batteries	8	0076649-39-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Sioux Valley Cooperative (CENEX) - CD 0061

313 W Berry Avenue, South Shore

Latitude 45.106026 Longitude -96.932600

Aerial View



Ground View

Sioux Valley Cooperative (CENEX) - CD 0061

313 W Berry Avenue, South Shore

Layout



AST #1	18,000 GALLON GASOLINE
AST #2	8,800 GALLON GASOLINE
AST #3	3,300 GALLON GASOLINE
AST #4	18,000 GALLON DIESEL
AST #5A	8,800 GALLON HEATING OIL
AST #5B	8,800 GALLON HEATING OIL
AST #6	12,000 GALLON HEATING OIL

Sioux Valley Cooperative (CENEX) - CD 0061

313 W Berry Avenue, South Shore

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Gasoline	3	0008006-61-9
Diesel Fuel	3	0068476-34-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

SE QUADRANT CODINGTON COUNTY



Legend

Roads
- Interstate
- Highway
- Dirt or Trail
- Gravel
- Asphalt
- Concrete
- City or Town Street

Other Features
- Critical Sites
- Lake Traverse Reservation Boundary
- Railroads
- County Border
- Township
- LAKES

N

0 0.25 0.5 1 Miles

FIRST DISTRICT GIS



KRANZBURG

Legend

Roads
- Interstate
- Highway
- Dirt or Trail
- Gravel
- Asphalt
- Concrete
- City or Town Street
- Evacuation Route

Critical Sites
- City Hall
- Courthouse
- Emergency Operations Center
- Emergency Shelter
- Fire Department
- Hazardous Material Site
- Natural Gas Supply
- Police Office
- School

Other Features
- City Limits
- Pipeline
- Railroads
- County Border
- Township
- Creek or River
- LAKES
- Lake Traverse Reservation Boundary

N

0 0 0.1 0.2 Miles

FIRST DISTRICT GIS


WATERTOWN
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Evacuation Route
Critical Sites
City Hall
Courthouse
Emergency Operations Center
Emergency Shelter
Fire Department
Hazardous Material Site
Natural Gas Supply
Police Office
School
Other Features
City Limits
Pipeline
Railroads
County Border
Township
Creek or River
LAKES
Lake Traverse Reservation Boundary
N
0 0.3 0.6 1.1 Miles
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community
FIRST DISTRICT GIS


NE QUADRANT CITY OF WATERTOWN
CODINGTON COUNTY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Other Features
Critical Sites
Lake Traverse Reservation Boundary
Railroads
County Border
Township
LAKES
N
0
0.4 Miles
FIRST DISTRICT GIS
14th Ave NE
CD 0132 DAKOTA TUBE BUILDING 3
CD 0098 ACCO Nutting
CD 0049 BENCHMARK FOAM
CD 0042 MAGELLAN PIPELINE COMPANY, LC (MPC) - WATERTOWN TERMINAL
CD 0021 HARMS OIL
CD 0085 AVANTARA WATERTOWN
CD 0095 (MAPA) WESTERN MINNESOTA MUNICIPAL POWER AGENCY; WATERTOWN
CD 0022 Hubbard Feeds
CD 0062 Larry's Lumber
Watertown Middle School
Lincoln School
Watertown High School
Lake Area Technical Institute
Garfield School
Great Plains Lutheran School
St. Martins Lutheran School
Watertown Christian School
Jefferson School
Police Department
Watertown City Hall
Watertown Immaculate Conception Courthouse
Codington County Emergency Operations
Roosevelt School


SE QUADRANT CITY OF WATERTOWN
CODINGTON COUNTY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Other Features
Critical Sites
Lake Traverse Reservation Boundary
Railroads
County Border
Township
LAKES
N
0 0.4 Miles
FIRST DISTRICT GIS
CD 0132 DAKOTA TUBE BUILDING 3
CD 0098 ACCO Nutting
CD 0049 BENCHMARK FOAM
CD 0126 TITAN MACHINERY
CD 0082 INTERSTATE TELECOM COOP INC (ITC)
CD 0133 WATERTOWN 345 SUBSTATION
CD 0135 WATERTOWN OPERATIONS CENTER
CD 0068 HEFTY SEED COMPANY 3
CD 0069 (WAPA) WESTERN AREA POWER ADMINISTRATION WATERTOWN 230
CD 0128 TEREX SOUTH DAKOTA
CD 0014 Enercept
CD 0042 MAGELLAN PIPELINE COMPANY, LC (MPC) - WATERTOWN TERMINAL
CD 0021 HARMS OIL
CD 0102 GCC READY MIX
CD 0087 GLACIAL LAKES ENERGY LLC
CD 0022 Hubbard Feeds
CD 0095 (WAPA) WESTERN MINNESOTA MUNICIPAL POWER AGENCY - WATERTOWN
Police Department
Watertown City Hall
Watertown Courthouse
Immaculate Conception
Roosevelt School
Garfield School
Lake Area Technical Institute
458th Ave
29th St SE
31st St NE
31st St SE
25th Ave SE
Big Sioux River
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community

SW QUADRANT CITY OF WATERTOWN

CODINGTON COUNTY



Legend

Roads
- Interstate
- Highway
- Dirt or Trail
- Gravel
- Asphalt
- Concrete
- City or Town Street

Other Features
- Critical Sites
- Lake Traverse Reservation Boundary
- Railroads
- County Border
- Township
- LAKES

N

0 0.4 Miles

FIRST DISTRICT GIS


NW QUADRANT CITY OF WATERTOWN
CODINGTON COUNTY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Other Features
Critical Sites
Lake Traverse Reservation Boundary
Railroads
County Border
Township
LAKES
N
0
0.4 Miles
FIRST DISTRICT GIS
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, OpenStreetMap contributors, and the GIS User Community
CD 0089 TWIN CITY DIE CASTINGS COMPANY
CD 0012 DAKOTA TUBE BUILDING 1
CD 0131 DAKOTALAND MANUFACTURING
CD 0129 SKYWEST AIRLINES
CD 0030 MILLER ELECTRIC MANUFACTURING COMPANY
CD 0107 PARKER HANNIFIN CORPORATION
CD 0016 Terex
CD 0067 CRENLO ENGINEERED CABS
CD 0109 SDARNG - BRIGADIER GENERAL ERNIE EDWARDS READINESS CENTER
CD 0120 TEREX SOUTH DAKOTA
CD 0093 CUSTOM FABRICATORS
CD 0119 ARROW TRUCK LINE
CD 0037E WATER TREATMENT PLANT
CD 0116 Clark County Farmers Elevator
CD 0123 Sioux Valley Co-op
CD 0095 WAPA - WESTERN MINNESOTA MUNICIPAL POWER AGENCY - WATERTOWN
CD 0041 AGWEST COOP
CD 0027 Terex
CD 0105 Terex
CD 0023 Terex
CD 0097 A-OX WELDING SUPPLY COMPANY INC
CD 0100 B & G WELDING
CD 0084 PRAIRIE LAKES HEALTHCARE SYSTEM
CD 0043 Moe Oil
CD 0085 AVANTARA WATERTOWN
CD 0022 Hubbard Feeds
Watertown Fire Dept
Water Fire Dept
Watertown Regional Airport
Jefferson School
Great Plains Lutheran School
St. Martins Lutheran School
Watertown Christian School
Meiette School
McKinley School
Extension Center
Police Department
Larry's Lumber
Watertown City Hall
Sheriff's Office
Watertown Courthouse
Immaculate Conception
Roosevelt School
Codington County Emergency Operations
CD 0033 CENTURY LINK OC (QWEST)
US-81
14th Ave SW
1st St NW
3rd St NW


LAKE QUADRANT
CITY OF WATERTOWN
CODINGTON COUNTY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Other Features
Critical Sites
Lake Traverse Reservation Boundary
Railroads
County Border
Township
LAKES
N
0
0.6 Miles
FIRST DISTRICT GIS
Green Trees Subdivision
CD 0089 TWIN CITY DIE CASTINGS COMPANY
CD 0012 DAKOTA TUBE BUILDING
CD 0129 SKYWEST AIRLINES
CD 0131 DAKOTALAND MANUFACTURING
CD 0030 MILLER ELECTRIC MANUFACTURING COMPANY
CD 0016 Terex
CD 0107 PARKER HANNIFIN CORPORATION
Water
Fire Dept
Watertown Regional Airport
Cattail Crossing Golf Course
Prairie Winds Golf Club
CD 0100 D & H ELECTRIC COOPERATIVE
CLARK ELECTRIC SERVICE
CD 0111 CODINGTON CLARK ELECTRIC COOPERATIVE
3rd Ave NW
4th Ave SW
54th St
116th St
168th St
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, OpenStreetMap contributors, and the GIS User Community

ACCO Nutting - CD 0098

450 Pheasant Ridge Drive, Watertown

Latitude 44.895758 Longitude -97.050660

Aerial View

Ground View

ACCO Nutting - CD 0098

450 Pheasant Ridge Drive, Watertown

Layout



ACCO Nutting - CD 0098

450 Pheasant Ridge Drive, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Argon	2	0007440-37-1

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Agwrx Cooperative – Watertown Ag Center - CD 0115

812 20th Avenue SW, Watertown

Latitude 44.872910 Longitude -97.128685

Aerial View



Ground View

Agwrx Cooperative – Watertown Ag Center - CD 0115

812 20th Avenue SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Atrazine 4L	2	0001912-24-9
Dual Magnum	9	0087392-12-9
Liberty Ultra	1	0073777-50-1
Acuron GT	2	0000000-00-0
Harness	9	0034526-82-1
Enlist One	9	1048383-72-3
Class Act	2B	0000000-00-0
Roundup Power Max 3	2A	0070901-12-1
Warrant	9	0000000-00-0
Volley ATZ NXT	4	0000000-00-0
Diesel	3	0068746-34-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Agwrx Cooperative - Main Office - CD 0041

810 Burlington Northern Drive, Watertown

Latitude 44.891788 Longitude -97.131050

Aerial View

Ground View

Agwrx Cooperative - Main Office - CD 0041

810 Burlington Northern Drive, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Diesel Fuel	3	0068746-34-6
Gasoline	3	0008006-61-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Agwrx Cooperative – Wallace Agronomy Center - CD 0118

43680 SD Highway 20, Wallace

Latitude 45.096572 Longitude -97.476225

Aerial View

Ground View

Agwrx Cooperative – Wallace Agronomy Center - CD 0118

43680 SD Highway 20, Wallace

Layout



Agwrx Cooperative – Wallace Agronomy Center - CD 0118
43680 SD Highway 20, Wallace

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Urea 46-0-0	2	0000057-13-6
MAP 11-52-0	2	0007722-76-1
AMS 21-0-0-24	2	0007783-20-2
Roundup Power Max 3	2	0070901-12-1
Class Act NG	2	0000000-00-0
Warrant	9	0000000-00-0
Diesel	3	0068476-34-6
Enlist One	9	1048373-72-3
Harness	9	0000000-00-0
Liberty Ultra	1	0000000-00-0
Propane	2	0000074-98-6
Acuron GT	2	0000000-00-0
Atrazine 4L	2	0000000-00-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Airgas USA, LLC – Watertown, SD N523 – CD 0121

3100 9th Avenue West Suite 300, Watertown

Latitude 44.888519 Longitude -97.163525

Aerial View

Ground View

Airgas USA, LLC – Watertown, SD N523 – CD 0121

3100 9th Avenue West Suite 300, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Argon	2	0007440-37-1
Oxygen	2	0007782-44-7
Argon Carbon Dioxide	2	0000000-00-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

A-OX Welding Supply Company - CD 0097

1617 9th Avenue SW, Watertown

Latitude 44.890360 Longitude -97.098795

Aerial View



Ground View

A-OX Welding Supply Company - CD 0097

1617 9th Avenue SW, Watertown

Layout



A-OX Welding Supply Company - CD 0097

1617 9th Avenue SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Acetylene	2	0000074-86-2
Argon	2	0007440-37-1
Carbon Dioxide	2	0000124-38-9
Nitrogen	2	0007727-37-9
Oxygen	2	0007782-44-7
Propylene	2	0000115-07-1
Propane	2	0000074-98-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Arrow Truck Line - CD 0119

815 10th St NW, Watertown

Latitude 44.910265 Longitude -97.132619

Aerial View



Ground View

Arrow Truck Line - CD 0119

815 10th St NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Cenex Roadmaster XL	3	0000000-00-0
Gasoline With Ethanol	3	0008006-61-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Avantara Watertown - CD 0085

415 4th Avenue NE, Watertown

Latitude 44.906096 Longitude -97.105390

Aerial View

Ground View

Avantara Watertown - CD 0085

415 4th Avenue NE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Fuel Oil #2	3	0068476-34-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

B & G Welding - CD 0100

2925 9th Avenue SW, Watertown

Latitude 44.891723 Longitude -97.161921

Aerial View

Ground View

B & G Welding - CD 0100

2925 9th Avenue SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Nitrogen	2	0007727-37-9
Diesel Fuel	3	0068476-34-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Benchmark Foam - CD 0049

401 Pheasant Ridge Drive, Watertown

Latitude 44.896208 Longitude -97.053941

Aerial View

Ground View

Benchmark Foam - CD 0049

401 Pheasant Ridge Drive, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
4,4' Diphenylmethane Disocyanate	6	0000101-68-8
Polystyrene	9	0009003-53-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Century Link QC (Qwest) - CD 0033

116 Maple Street S, Watertown

Latitude 44.898298 Longitude -97.113233

Aerial View



Ground View

Century Link QC (Qwest) - CD 0033

116 Maple Street S, Watertown Layout



Century Link QC (Qwest) - CD 0033
116 Maple Street S, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Lead	9	0007439-92-1
Sulfuric Acid/Batteries	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

CHS - Liquid Plant - CD 0114

814 20th Avenue SW, Watertown

Latitude 44.872044 Longitude -97.128903

Aerial View

Ground View

CHS - Liquid Plant - CD 0114

814 20th Avenue SW, Watertown

Layout



CHS - Liquid Plant - CD 0114

814 20th Avenue SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
10-34-0 Conventional Liquid Fertilizer	NA	0068333-79-9
Citri-Che Zinc 10%	8	0014639-98-6
UAN 32% & 28%	NA	0015978-77-5
XLR-Rate 7-23-5	NA	0068333-79-9
Zinc 9%	9	0007733-02-0
Thio-Sul	NA	0007783-18-8
N-Edge II	6	0000067-68-5
N Edge Soil	6	0000067-68-5
K-Sul	NA	0010294-66-3
MicroXL	NA	0000000-00-0
Trivar	NA	0068134-01-0
N Edge Pro	NA	0094317-64-3

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

CHS INC WATERTOWN CROP NUTRIENTS LLC - CD 0106

710 20th Avenue SW, Watertown

Latitude 44.870772 Longitude -97.129226

Aerial View

Ground View

CHS - Crop Nutrients - CD 0106

710 20th Avenue SW, Watertown

Layout



CHS - Crop Nutrients - CD 0106

710 20th Avenue SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Ammonium Sulfate	NA	0007783-20-2
Calcium Carbonate	2	0001317-65-3
Dustrol 3003	1	0064742-53-6
Monoammonium Phosphate (MAP)	2	0007722-76-1
Origin Boron	4	0012179-04-3
Origin Sulfur 90G	4	0007704-34-9
Potash	NA	0000584-08-7
Sulfate Potash	NA	0007778-80-5
Urea	NA	0000057-13-6
Zinc Sulfate Monohydrate	9	0007446-19-7
Fertilink	NA	0000000-00-0
Zinc 10% LS	2	0057866-49-6
Calcium Sulfate or Gypsum	2	0010101-41-4

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Codington Clark Electric Cooperative – Headquarters - CD 0110

3520 9th Avenue SW, Watertown

Latitude 44.889415 Longitude -97.173664

Aerial View

Ground View

Codington Clark Electric Cooperative – Headquarters - CD 110

3520 9th Avenue SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Carbon Dioxide-Argon	2	0000124-38-9
Oxygen	2	0007782-44-7
Propane	2	0000074-98-6
Superlube 519	9	0068171-46-0
Transformer Oil	9	0064742-53-6
Used Oil	3	0068171-46-0
Diesel	3	0068476-34-6
Acetylene	2	0000074-86-2

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Codington Clark Electric Cooperative – Pole Yard - CD 0111

725 54th Street SW, Watertown

Latitude 44.892234 Longitude -97.208530

Aerial View

Ground View

Codington Clark Electric Cooperative – Pole Yard - CD 0111

725 54th Street SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Transformer Oil	9	0064742-53-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Crenlo Engineered Cabs - CD 0067

315 Airport Drive NW, Watertown

Latitude 44.925995 Longitude -97.158740

Aerial View

Ground View

Crenlo Engineered Cabs - CD 0067

315 Airport Drive NW, Watertown

Layout



Crenlo Engineered Cabs - CD 0067

315 Airport Drive NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Argon	2	0007440-37-1
Carbon Dioxide	2	0000124-38-9
Lead	9	0007439-92-1
Nitrogen, Refrigerated Liquid	2	0007727-37-9
Oxygen	2	0007782-44-7
Paint	0	0000000-00-0
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Crowned Ridge Wind I, LLC – CD 0127

315 Airport Drive NW, Watertown

Latitude 45.045878 Longitude -96.922602

Aerial View



Ground View

Crowned Ridge Wind I, LLC – CD 0127

315 Airport Drive NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Custom Fabricators - CD 0093

1900 14th Avenue NW, Watertown

Latitude 44.918507 Longitude -97.145874

Aerial View

Ground View

Custom Fabricators - CD 0093

1900 14th Avenue NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Nitrogen	2	0007727-37-9
Oxygen Liquid	3	0007782-44-7

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Dakota Bodies - CD 0108

201 20th Avenue SE, Watertown

Latitude 44.877471 Longitude -97.115905

Aerial View

Ground View

Dakota Bodies - CD 0108

201 20th Avenue SE, Watertown

Layout



Dakota Bodies - CD 0108

201 20th Avenue SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Liquid Nitrogen	2	0007727-37-9
Liquid Oxygen	2	0007782-44-7
Paint	3	0000000-00-0
Powder Paint	NA	0000000-00-0
Lead Acid Batteries	8	0000000-00-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Dakota Tube – Building 1 - CD 0012

221 Airport Drive NW, Watertown

Latitude 44.926768 Longitude -97.156500

Aerial View

Ground View

Dakota Tube – Building 1 - CD 0012

221 Airport Drive NW, Watertown

Layout



Dakota Tube – Building 1 - CD 0012

221 Airport Drive NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Hydrochloric Acid	8	0007647-01-0
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Dakota Tube - Building 3 - CD 0132

221 Pheasant Ridge Drive, Watertown

Latitude 44.900199 Longitude -97.049032

Aerial View

Ground View

Dakota Tube - Building 3 - CD 0132

221 Pheasant Ridge Drive, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Hydrochloric Acid	8	0007647-01-0
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Dakotaland Manufacturing – CD 0131

400 Airport Drive, Watertown

Latitude 44.924472 Longitude -97.157060

Aerial View

Ground View

Dakotaland Manufacturing – CD 0131

400 Airport Drive, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Liquid Nitrogen	2	0007727-37-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

GCC Consolidated Ready Mix - CD 0102

1301 23rd Street SE, Watertown

Latitude 44.885616 Longitude -97.079797

Aerial View

Ground View

GCC Consolidated Ready Mix - CD 0102

1301 23rd Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Calcium Nitrate	5	0010124-37-5
Cement	9	0065997-15-1
Diesel	3	0068476-30-2
Fly Ash	9	0068131-74-8
Sand	9	0014808-60-7

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Glacial Lakes Energy, LLC - CD 0087

301 20th Avenue SE, Watertown

Latitude 44.877320 Longitude -97.112860

Aerial View

Ground View

Glacial Lakes Energy - CD 0087

301 20th Avenue SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Anhydrous Ammonia	2	0007664-41-7
Ethyl Alcohol	3	0000064-17-5
Sodium Hydroxide	8	0001310-73-2
Sulfuric Acid	8	0007664-93-9
Denaturant Gasoline All Grades	2	0086290-81-5
Peracetic Acid	5	0000079-21-0
Nitric Acid	5	0007697-37-2
Formaldehyde	4	0000050-00-0
Ethylene Glycol	4	0000107-21-1
Sodium Bisulfite	4	0007631-90-5

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Harms Oil Company - CD 0021

1101 17th Street SE, Watertown

Latitude 44.887927 Longitude -97.089223

Aerial View



Ground View

Harms Oil Company - CD 0021

1101 17th Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Alcohol	3	0000064-17-2
Soy Oil	NA	0000000-00-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Hefty Seed Company - CD 0068

17347 458th Avenue, Watertown

Latitude 44.868218 Longitude -97.049317

Aerial View

Ground View

Hefty Seed Company - CD 0068

17347 458th Avenue, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
AC-97	NA	0000000-00-0
Access	NA	0000000-00-0
Amass	1	0000067-48-1
Anthem Maxx	1	0447399-55-5
Atrazine 4L	2	0001912-24-9
Buccaneer Plus	2	0038641-94-0
Capture LFR	6	0082657-04-3
Cobra	3	0077501-63-4
Crop Oil/Surfactant	2	0000000-00-0
Bifenthrin 2EC	6	0082657-04-3
Deliver	9	0007783-20-2
Diablo	2	0002300-66-5
Dimethoate 400 EC	4	0000060-51-5
Enlist One	9	1048373-72-3
EverpreX	2	0087392-12-9
Freelexx	1	1048373-72-3
Glory 4L	1	0021087-64-9
Glufosinate 280SL	1	0077182-82-2
Gramoxone SL 3.0	3	0001910-42-5
Harness	9	0034256-82-1
Harness Xtra	4	0034256-82-1
Keystone LA NXT	1	0034256-82-1
Liberty 280SL	6	0077182-82-2

Hefty Seed Company - CD 0068

17347 458th Avenue, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Lima 6	4	0001928-43-4
MegaGro L	NA	0000525-79-1
Metalica	4	0051218-45-2
Micro1000	NA	0000000-00-0
Moccasin II Plus	4	0087392-12-9
Resicore	1	0034256-82-1
Resicore Rev	2	0034256-82-1
Roundup PowerMAX 3	9	0070901-12-1
Satellite Hydrocap	3	0040487-42-1
Select Max	2	0099129-21-2
Sovereignty	NA	0077182-82-2
Surpass NXT	1	0034256-82-1
SureStart II	1	0034256-82-1
Trifluralin HF	9	0001582-09-8
TripleFLEX II	2	0034256-82-1
Warrant	9	0034256-81-1
Weedone LV6 EC	9	0001928-43-4
Weedar 64	1	0002008-39-1
Zinc, Granular	4	0007446-19-7

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Interstate Telecom Cooperative (ITC) - CD 0082

1329 41st Street SE, Watertown

Latitude 44.884043 Longitude -97.047959

Aerial View

Gound View

Interstate Telecom Cooperative (ITC) - CD 0082

1329 41st Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Sulfuric Acid/Batteries	8	0076649-39-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Magellan Pipeline Company – Watertown Terminal - CD 0042

1000 17th Street SE, Watertown

Latitude 44.888033 Longitude -97.087650

Aerial View

Ground View

Magellan Pipeline Company – Watertown Terminal - CD 0042

1000 17th Street SE, Watertown

Layout



Magellan Pipeline Company – Watertown Terminal - CD 0042

1000 17th Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
CHS Powerguard 1131	NA	0000000-00-0
CHS Powerguard 2231	NA	0000000-00-0
Lubricity SCS 214	NA	0000000-00-0
Sub Octane UNL 83 Gasoline	3	0000111-65-9
Denatured Fuel Ethanol	NA	0000000-00-0
#2 Fuel Oil	NA	0000000-00-0
IVD Ultrazol GA 9021	NA	0000000-00-0
#1 ULSD Fuel Oil	3	0068476-34-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Miller Electric Manufacturing Company - CD 0030

2601 Lockheed Avenue NW, Watertown

Latitude 44.929902 Longitude -97.158870

Aerial View

Ground View

Miller Electric Manufacturing Company - CD 0030

2601 Lockheed Avenue NW, Watertown

Layout



Miller Electric Manufacturing Company - CD 0030
2601 Lockheed Avenue NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Nitric Acid	8	0007697-37-2
Oxygen	2	0007782-44-7
Propane	2	0000074-98-6
Sodium Hydroxide	8	0001310-73-2
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Parker Hannifin Corporation - CD 0107

400 Cessna Street NW, Watertown

Latitude 44.926020 Longitude -97.160770

Aerial View

Ground View

Parker Hannifin Corporation - CD 0107

400 Cessna Street NW, Watertown

Layout



Parker Hannifin Corporation - CD 0107

400 Cessna Street NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Electrolite Solution	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Prairie Lakes Healthcare System - CD 0084

401 9th Avenue NW, Watertown

Latitude 44.910139 Longitude -97.121799

Aerial View

Ground View

Prairie Lakes Healthcare System - CD 0084

401 9th Avenue NW, Watertown

Layout



Prairie Lakes Healthcare System - CD 0084

401 9th Avenue NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Fuel Oil #2	3	0068476-30-2

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

SDARNG – Brigadier General Ernie Edwards Readiness Center - CD 0109

1951 SD Highway 20 N, Watertown

Latitude 44.923587 Longitude -97.140619

Aerial View

Ground View

SDARNG – Brigadier General Ernie Edwards Readiness Center - CD 0109

1951 SD Highway 20 N, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Diesel Fuel	3	68476-34-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Sioux Valley Cooperative (CENEX) - CD 0040

2430 9th Avenue SW, Watertown

Latitude 44.888872 Longitude -97.153824

Aerial View

Ground View

Sioux Valley Cooperative (CENEX) - CD 0040

2430 9th Avenue SW, Watertown

Layout



Sioux Valley Cooperative (CENEX) - CD 0040

2430 9th Avenue SW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Gasoline	3	0008006-61-9
Gasoline With Ethanol	3	0008006-61-9
LP Gas	2	0000074-98-6
Mixed Petro Distillate	3	0068476-34-6
Diesel Fuel	3	0068476-34-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Skywest Airlines – CD 0129

550 Airport Drive, Watertown

Latitude 44.922352 Longitude -97.157267

Aerial View

Ground View

Deicer & Fuel Tanks

Skywest Airlines – CD 0129

550 Airport Drive, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Propylene Glycol	NA	0000057-55-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.

If possible, prevent hazardous material from getting into any drainage system.

Terex – South Dakota – CD 0128

3140 15th Street SE, Watertown

Latitude 44.883960 Longitude -97.062530

Aerial View

Ground View

Terex – South Dakota – CD 0128

3140 15th Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Epon Resin 826	2	0000000-00-0
Lindride 6 – Resin Hardener	2	0000000-00-0
Fiberglass Spools	NA	0000000-00-0
Hydraulic Oil	NA	0068610-84-4
Lead In Batteries	8	0007439-92-1
Sulfuric Acid	8	0007664-93-9
Diesel Fuel	3	0068476-30-2
Lithium-Ion Batteries	9	0000000-00-0
Phosphorus In Amasteel Shot Blast	NA	0007723-14-0
Amasteel Shot Blast	NA	0000000-00-0
Grease	1	0000000-00-0
Used Oil	NA	0000000-00-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Terex – South Dakota – CD 0120

1901 14th Avenue NW, Watertown

Latitude 44.920109 Longitude -97.143678

Aerial View



Ground View

Terex – South Dakota – CD 0120

1901 14th Avenue NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Hydraulic Fluid	NA	0068610-84-4
Sulfuric Acid	8	0007664-93-9
Diesel Fuel	3	0068476-30-2
Lead Acid Batteries	8	0007439-92-1

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Titan Machinery – CD 0126

3934 9th Avenue SE, Watertown

Latitude 44.888240 Longitude -97.054210

Aerial View

Ground View

Titan Machinery – CD 0126

3934 9th Avenue SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Motor Oil	NA	0064742-65-0
Hydraulic Fluid	NA	0068610-84-4

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Twin City Die Castings Company - CD 0089

122 Cessna Street NW, Watertown

Latitude 44.929027 Longitude -97.156662

Aerial View

Ground View

Twin City Die Castings Company - CD 0089

122 Cessna Street NW, Watertown

Layout



Twin City Die Castings Company - CD 0089

122 Cessna Street NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Molten #380 Aluminum	0	0000000-00-0
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Water Treatment Plant - CD 0037E

1415 6th Avenue NW, Watertown

Latitude 44.908849 Longitude -97.138830

Aerial View

Ground View

Water Treatment Plant - CD 0037E

1415 6th Avenue NW, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
AF 4460 EHW	NA	0064742-47-8
Calcium Oxide	8	0001305-78-8
Carbon Dioxide	2	0000124-38-9
Diesel Fuel	3	0068476-34-6
Hydrofluosilicic Acid	8	0016961-83-4
Sodium Chloride (Salt)	9	0007647-14-5
Sodium Tripolyphosphate Tech (STPP)	9	0007758-29-4
Sodium Hypocholorite, 12.5% Solution	8	0007681-52-9
Mlex Resin HW1	4	0000000-00-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Watertown 345 Substation – CD 0133

1330 41st Street SE, Watertown

Latitude 44.883761 Longitude -97.041034

Aerial View

Ground View

Watertown 345 Substation – CD 0133

1330 41st Street SE, Watertown

Due to cyber security reasons and critical infrastructure, WAPA is unable to provide a copy of our facility layout depicting where chemicals are stored.

Watertown 345 Substation – CD 0133

1330 41st Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Mineral Insulation Oil	1	0064742-53-6
Sulfuric Acid Batteries	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Watertown Operations Center – CD 0135

1330 41st Street SE, Watertown

Latitude 44.884324 Longitude -97.046389

Aerial View

Ground View

Watertown Operations Center – CD 0135

1330 41st Street SE, Watertown

Due to cyber security reasons and critical infrastructure, WAPA is unable to provide a copy of our facility layout depicting where chemicals are stored.

Watertown Operations Center – CD 0135

1330 41st Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Watertown Repeater – CD 0136

1330 41st Street SE, Watertown

Latitude 44.884057 Longitude -97.042665

Aerial View

Ground View

Watertown Repeater – CD 0136

1330 41st Street SE, Watertown

Due to cyber security reasons and critical infrastructure, WAPA is unable to provide a copy of our facility layout depicting where chemicals are stored.

Watertown Repeater – CD 0136

1330 41st Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Watertown Static Var Substation – CD 0134

1330 41st Street SE, Watertown

Latitude 44.881204 Longitude -97.042707

Aerial View

Ground View

Watertown Static Var Substation – CD 0134

1330 41st Street SE, Watertown

Due to cyber security reasons and critical infrastructure, WAPA is unable to provide a copy of our facility layout depicting where chemicals are stored.

Watertown Static Var Substation – CD 0134

1330 41st Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Mineral Insulation Oil	1	0064742-53-6
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

WAPA (Western Area Power Administration) - CD 0066F

1330 41st Street SE, Watertown

Latitude 44.883106 Longitude -97.046200

Aerial View

Ground View

Looking Northeast from 41st St SE

WAPA (Western Area Power Administration) - CD 0066F

1330 41st Street SE, Watertown

Layout

Due to cyber security reasons and critical infrastructure, WAPA is unable to provide a copy of our facility layout depicting where chemicals are stored.

WAPA (Western Area Power Administration) - CD 0066F

1330 41st Street SE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Petroleum Electric Insulation Oil	9	0064742-53-6
Sulfuric Acid	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

WMMPA – WPP Western Minnesota Municipal Power Agency - CD 0095

123 4th Street NE, Watertown

Latitude 44.901667 Longitude -97.107778

Aerial View

Ground View

WMMPA – WPP Western Minnesota Municipal Power Agency - CD 0095

123 4th Street NE, Watertown

Layout



WMMPA – WPP Western Minnesota Municipal Power Agency - CD 0095

123 4th Street NE, Watertown

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Diesel Fuel	3	0068476-30-2
Sulfuric Acid In Batteries	8	0007664-93-9

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.


SW QUADRANT CODINGTON COUNTY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Other Features
Critical Sites
Lake Traverse Reservation Boundary
Railroads
County Border
Township
LAKES
N
0 0.25 0.5 1 Miles
FIRST DISTRICT GIS
LAKE
RICHLAND
GRACELAND
HENRY
KAMPESKA
PELICAN
CD 0111 CODINGTON CLARK ELECTRIC COOP
Henry School
Henry Community Center
Henry Fire Dept
166 ST
167 ST
168 ST
169 ST
170 ST
171 ST
172 ST
173 ST
174 ST
175 ST
176 ST
177 ST
178 ST
436 AVE
437 AVE
438 AVE
439 AVE
440 AVE
441 AVE
442 AVE
443 AVE
444 AVE
445 AVE
446 AVE
447 AVE
448 AVE
449 AVE
450 AVE
451 AVE
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community


HENRY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Evacuation Route
Critical Sites
City Hall
Courthouse
Emergency Operations Center
Emergency Shelter
Fire Department
Hazardous Material Site
Natural Gas Supply
Police Office
School
Other Features
City Limits
Pipeline
Railroads
County Border
Township
Creek or River
LAKES
Lake Traverse Reservation Boundary
N
0 0 0.1 0.2 Miles
FIRST DISTRICT GIS
438 AVE
172 ST
US HWY 212
Henry School
CEDAR ST
WILLOW ST
PINE ST
SPRUCE ST
MAPLE DR
MAPLE ST
CD 0086 Interstate Telecom Co-op
2ND ST
OAK ST
Henry Community Center
Fire Dept
MAIN ST
3RD ST
ELM ST
5TH ST
1ST ST
437 AVE
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community


NW QUADRANT CODINGTON COUNTY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Other Features
Critical Sites
Lake Traverse Reservation Boundary
Railroads
County Border
Township
LAKES
N
0 0.25 0.5 1 Miles
FIRST DISTRICT GIS
DEXTER
EDEN
FULTER
PHIPPS
Summer Slough
Florence
Wallace
Florence Fire Dept
Florence School
Florence Community Center
CD 0117 AGWRX COOP - FLORENCE
CD 0130 FLORENCE BULK
CD 0034 INTERSTATE TELECOM COOP INC (ITC)
CD 0118 AGWRX COOP - WALLACE AGRONOMY CENTER
Community Center
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community
451 AVE
450 AVE
449 AVE
448 AVE
447 AVE
446 AVE
445 AVE
444 AVE
443 AVE
442 AVE
441 AVE
440 AVE
439 AVE
438 AVE
437 AVE
436 AVE
154 ST
155 ST
156 ST
157 ST
158 ST
159 ST
160 ST
161 ST
162 ST
163 ST
164 ST
165 ST
166 ST

FLORENCE

Legend

Roads
- Interstate
- Highway
- Dirt or Trail
- Gravel
- Asphalt
- Concrete
- City or Town Street
- Evacuation Route

Critical Sites
- City Hall
- Courthouse
- Emergency Operations Center
- Emergency Shelter
- Fire Department
- Hazardous Material Site
- Natural Gas Supply
- Police Office
- School

Other Features
- City Limits
- Pipeline
- Railroads
- County Border
- Township
- Creek or River
- LAKES
- Lake Traverse Reservation Boundary

N

0 0 0.1 0.2 Miles

FIRST DISTRICT GIS

Agwrx Cooperative - Florence - CD 0017

118 E Main Avenue, Florence

Latitude 45.054875 Longitude -97.324580

Aerial View

Ground View

Agwrx Cooperative - Florence - CD 0017

118 E Main Avenue, Florence

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Propane	2	0000074-98-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Interstate Telecom Cooperative (ITC) - CD 0034

708 Fourth Street, Florence

Latitude 45.055173 Longitude -97.327930

Aerial View

Ground View

Interstate Telecom Cooperative (ITC) - CD 0034

708 Fourth Street, Florence

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Sulfuric Acid/Batteries	8	0076649-39-0

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.

Florence Bulk – Sioux Valley Coop - CD 0130

Main Street & Hwy 25, Florence

Latitude 45.054710 Longitude -97.323249

Aerial View

Ground View

Florence Bulk – Sioux Valley Coop - CD 0130

Main Street & Hwy 25, Florence

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
LP-Gas	2	0000074-98-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.


WALLACE
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Evacuation Route
Critical Sites
City Hall
Courthouse
Emergency Operations Center
Emergency Shelter
Fire Department
Hazardous Material Site
Natural Gas Supply
Police Office
School
Other Features
City Limits
Pipeline
Railroads
County Border
Township
Creek or River
LAKES
Lake Traverse Reservation boundary
N
0 0 0 0.1 Miles
FIRST DISTRICT GIS
437/AVE
2ND AVE
3RD AVE
4TH AVE
MAIN ST
SHANNON ST
5TH AVE
6TH AVE
WALLACE ST
7TH AVE
8TH AVE
9TH AVE
PHELPS ST
Wallace Fire Dept
Community Center
CD 0036
AGWRX COOP
- WALLACE
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community

Agwrx Cooperative - Wallace - CD 0036

102 7th Avenue, Wallace

Latitude 44.086125 Longitude -97.481140

Aerial View

Ground View

Agwrx Cooperative - Wallace - CD 0036

102 7th Avenue, Wallace

Emergency and Hazardous Chemical Inventory

Chemical Name	Hazard Class	CAS Number
Diesel Fuel	3	0068476-34-6
Propane	2	0000074-98-6

On-Site Procedures when an accidental release is discovered

- ❑ Sound alarm.
- ❑ Call 911.
- ❑ Evacuate facility.
- ❑ Stay up-wind.
- ❑ If possible, turn off all electrical power to the facility.
- ❑ If possible, prevent hazardous material from getting into any drainage system.


TRANSPORTATION ROUTES
CODINGTON COUNTY
Legend
Roads
Interstate
Highway
Dirt or Trail
Gravel
Asphalt
Concrete
City or Town Street
Other Features
Critical Sites
Lake Traverse Reservation Boundary
Railroads
County Border
Township
LAKES
Pipeline
N
0 0.5 1 2 Miles
FIRST DISTRICT GIS
Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community
Watertown
Kampeska
Pelican Lake
Goose Lake
Long Lake
Grass Lake
Dry Lake
Lake Minnewasta
Lake Alice
Lake Kampeska
Pelican Lake
Goose Lake
Long Lake
Grass Lake
Dry Lake
Lake Minnewasta
Lake Alice

GRANTS

Since the inception of the hazardous material program, South Dakota has received several grants from the federal government. The grants are intended to increase hazardous material preparedness and response capabilities by paying for planning projects and training for first responders and LEPC officials.

The following grants are most commonly available in South Dakota:

- SARA, Title III grants originate with the Federal Emergency Management Agency. These grants are limited to training state and county employees or volunteers to improve preparedness and response. Also, American Indian tribes are eligible.
- Hazardous Material Emergency Preparedness grants originate with the South Dakota DOT. These grants provide funds to state government and LEPCs for emergency response planning and exercising. The grants pay for projects such as commodity flow studies, writing and printing emergency response plans and hazards analyses.

Information about hazardous materials grants can be obtained by contacting the South Dakota OEM at 1-605-773-3231.

GLOSSARY

Acute Toxicity - The ability of a substance to cause poisonous effects resulting in severe biological harm or death soon after single exposure or dose. Also, any severe poisonous effect resulting from a single short term exposure to a toxic substance.

Chemical Abstracts Service Registry Number (CAS#) – a number assigned to toxic chemicals.

Comprehensive Emergency Response, Compensation, and Liability Act – Federal legislation regarding the cleanup of uncontrolled hazardous waste sites and response to releases of hazardous material.

Chemical Name – The scientific designation of a chemical in accordance with the nomenclature system developed by the International Union of Pure and Applied Chemistry (IUPCAC) or the Chemical Abstracts Service (CAS) rules of nomenclature, or a name which will clearly identify the chemical for the purpose of conducting an evaluation.

Chemical Transportation Emergency Center – This center, operated by the Chemical Manufacturers Association, provides information or assistance to emergency responders of toxic chemical releases.

Common Name – Any designation or identification such as a code name, code number, trade name, brand name or generic name used to identify a chemical other than by its chemical name.

Extremely Hazardous Substances – A list, subject to revision, of chemicals identified by the EPA on the basis of toxicity.

Hazardous Material – Defined as any substance where an uncontrolled or accidental release could cause injury/death to humans and damage to property or the environment. Included are explosives; flammable liquids, flammable compressed gases or flammable solids; toxic chemicals; poisons; and oxidizing, corrosive or radiological material.

Hazardous Chemical – Any substance or mixture that requires a business to keep, prepare, or provide a MSDS as required by OSHA.

Local Emergency Planning Committee – A committee appointed by the SERC to formulate a comprehensive emergency plan for its jurisdiction.

Material Safety Data Sheet – A compilation of information required by OSHA on the identity of hazardous chemicals, health, and physical hazards, exposure limits, and precautions.

Release – A term defined as the spilling, leaking, pumping, pouring, emitting, emptying, discharging, leaching, dumping, or disposing (including the abandonment or discarding of barrels, containers and other closed receptacles) of any "hazardous material".

Risk Assessment – The quantitative and qualitative evaluation performed in an effort to define the risk posed to human health and the environment by the presence or potential presence of hazardous material.

Threshold Planning Quantity – A quantity designated for each chemical on the EHS list that triggers notification by facilities to the SERC and the LEPC that such facilities are subject to emergency planning.

ACRONYMS

CAS – Chemical Abstracts Service number.

DEM – Director of Emergency Management

DANR – South Dakota Department of Agriculture and Natural Resources.

DOT – South Dakota Department of Transportation.

EAS – Emergency Alert System.

EHS – Extremely Hazardous Substance.

EOC – Emergency Operations Center.

EPA – Environmental Protection Agency.

EPCRA – Emergency Planning and Community Right-to-know Act.

GF & P – Game, Fish and Parks.

HAZMAT – Hazardous Material.

ICS – Incident Command System.

JPEG– Joint Photographic Experts Group image.

LEOP – Local Emergency Operations Plan.

LEPC – Local Emergency Planning Committee.

MSDS – Material Safety Data Sheet.

NIMS – National Incident Management System.

NRC – National Response Center.

NRT – National Response Team.

OEM – Office of Emergency Management.

OSHA – Occupational Safety and Health Administration.

RQ – Reportable Quantity.

SARA – Superfund Amendments and Reauthorization Act.

SDCL – South Dakota Codified Law.

SERC – State Emergency Response Commission.

TPQ – Threshold Planning Quantity.

HAZARDOUS MATERIAL INCIDENT REPORT*

Date: _____ Time of call: _____

Caller's Name: _____ Caller's Agency:_____

Caller's telephone #: _____

Caller's Address: _____

Type of Incident:_____

Location of Incident: _____
(E-911 address, if known)

Time of Incident: _____ Any Injury/Death: Yes ____ No ____

Placard: ____Yes ____No If Yes, Placard Number: _____

Chemical's Name: _____
(Correct printed spelling please)

Type of Container:_____ Amount of Release: _____ Spill Size_____

Endangered Area _____ Population Area _____ Spill Movement: Yes ____ No ____

Water Bodies/Streams Involved: Yes ____ No ____ If yes, Name?_____

Immediate Threat To: Humans__ Air__ Soil__ Water__ Fish__ Wildlife__ Other__

Current weather conditions at the scene of the hazardous material incident:

Wind Direction: _____ Wind Speed: _____ Temperature: _____

Atmosphere: (e.g.; rainy, snowy, foggy, cloudy, partly cloudy, clear)_____

Shipper's Name: _____

Shipper's Address: _____Shipper's Telephone _____

Driver's Name:_____ Driver's Address: _____

Personnel or Agencies On-scene: _____
(e.g.; Director of Emergency Management, Police Department)

*Call the South Dakota Office of Emergency Management (1-605-773-3231) after completion.

Attachment 1

HAZARDOUS MATERIAL INCIDENT FOLLOW-UP REPORT

Name of person filling out this report: _____

e-mail address:_____

Postal address: _____

Work Telephone #: _____ Home Telephone #: _____

Cellphone Number: _____

Location of incident: _____
(E-911 address, if known)

Chemical's name: _____
(Correct printed spelling please)

Trade name: _____

Chemical Abstracts Service (CAS) Registry Number: _____

Is the chemical on the SARA, Title III, Section 302 list? Yes ___ No ___ Unknown ___

Quantity of the chemical released:_____

Time the chemical release began: _____

Duration of the chemical release:_____

This chemical release affected: Humans __ Air __ Soil __ Water __ Fish __ Wildlife __

Lake, Slough, River or Creek involved? Yes ___ No ___ If yes, Name:_____

Acute or chronic health risks? Yes ___ No ___ Unknown ___

What medical advice was given?_____

Place additional information about the incident and action taken on the back of this form.

After completion, mail this follow-up report to:

South Dakota Department of Agriculture & Natural Resources
Department of Agriculture and Natural Resources
Office of Air Quality & Solid Waste
523 East Capitol Street, Room 217
Pierre, SD 57501

Attachment 2

EQUIPMENT RESOURCES OF PRIVATE BUSINESSES

REFER TO LEOP FOR COMPLETE LIST OF EQUIPMENT AND CONTACTS

COMMUNITY STORM SHELTERS

Anza Soccer Field Shelter
1620 17th St SE
Unlocked by Watertown PD during severe thunderstorms or tornado watch/warning

Stokes-Thomas City Park Shelter
90 S Lake Drive (SW corner of campground, brown building)
Unlocked throughout summer camping season

Codington County Extension Center Shelter
1910 W Kemp (Entrance H)
Unlocked shortly after a warning is issued by a county employee

Memorial Park Shelter
Near Bathhouse by Duck Pond
Unlocked during camping season

COMPREHENSIVE HAZMAT RESPONSE PLAN CHECKLIST

Guidance for Developing Comprehensive Hazmat Response Plan Checklist

All new/draft Emergency Response Plans must be submitted to the State Emergency Response Commission (SERC) for review
This checklist must be completed and submitted with the new/draft plan.

Codington County Hazardous Material (HAZMAT) Plan

Local Emergency Planning Committee / Plan Name

First District Association of Local Governments, Kelli Henricks/Todd Kays, 9/01/2026, 605-882-5115

Authored By, Date, & Contact Info

Required Elements (Reference Title 42, Chapter 116, Subchapter I, § 11003. Comprehensive Emergency Response Plans)
Each emergency plan shall include (but is not limited to) each of the following:

	Element	Applicable Pages	Comments
Required Elements			
1	Identification of facilities subject to the requirements of this subchapter that are within the emergency planning district.	20-22; 25-164	Each site has a physical address, latitude and longitude, aerial view, ground view, list of emergency and hazardous chemicals, and on-site procedures when accidental release is discovered
2	Identification of routes likely to be used for the transportation of substances on the list of extremely hazardous substances referred to in section 11002 (a) of Title 42.	23, 25, 51, 73, 81, 105, 117, 155, 161	Maps displaying town locations, Hazardous Locations, Emergency Routes, and other utilities as deemed necessary.
3	Identification of additional facilities contributing or subjected to additional risk due to their proximity to facilities subject to the requirements of this subchapter*.	23, 25, 51, 73, 81, 105, 117, 115, 161	Maps displaying town locations, Hazardous Locations, Emergency Routes, and other utilities as deemed necessary.

Page 1 of 4

	Element	Applicable Pages	Comments
4	Methods and procedures to be followed by facility owners and operators to respond to any release of such substances.	11-15; 25-164	List of all contact information, locations, and hazardous chemical types.
5	Methods and procedures to be followed by local emergency and medical personnel to respond to any release of such substances.	11-15	
6	Designation of a community emergency coordinator who shall make determinations necessary to implement the plan.	16	Cindy Bau is the current Kingsbury County Emergency Manager and that position is the emergency coordinator.
7	Designation of facility emergency coordinators who shall make determinations necessary to implement the plan.	20-22	Tier II Facility Contact List
8	Procedures providing reliable, effective, and timely notification by the facility emergency coordinators and the community emergency coordinator to persons designated in the emergency plan, and to the public, that a release has occurred (consistent with the emergency notification requirements of section 11004 of this title).	11-15; 25-164	Each site is to provide on-site procedures when accidental release is discovered.
9	Methods for determining the occurrence of a release, and the area or population likely to be affected by such release**.	11-15	This Plan does not include modeling programs such as CAMEO or ALOHA. Based on the types of on-site hazardous materials being stored in relation to types of land uses in proximity of the facilities, it was determined that the area or population would be minimally affected.

	Element	Applicable Pages	Comments
10	A description of emergency equipment and facilities in the community, and identification of the persons responsible for such equipment and facilities.	16-19; 175-181	
11	A description of emergency equipment at each facility subject to the requirements of this subchapter (facilities that store hazardous materials), and identification of the persons responsible for such equipment and facilities.	20-22; 175-181	Tier II Facility Contact List No on-site emergency equipment was reported
12	Evacuation plans, including provisions for a precautionary evacuation and alternative traffic routes.	12-15, 23, 25, 51, 73, 81, 105 117, 155, 161	
13	Training programs, including schedules for training of local emergency response and medical personnel.	15	
14	Methods and schedules for exercising the emergency plan.	15, 184	This Plan is to be reviewed on an annual basis.
	Recommended Elements	**Applicable Pages**	**Comments**
15	Identification of emergency shelters and features of each emergency shelter (backup generator, # of beds, # of MREs, etc.)	16-19, 174	
16	Summary of existing mutual aid agreements with neighboring counties, cities, states, and Local Emergency Planning Committees.	16-19; 175-181	
17	NIMS compliance – NIMS concepts and terminology should be utilized.	15	

Page 3 of 4

18	Other		

*Examples of these facilities may include but not limited to hospitals, schools, nursing homes, natural gas facilities, etc.
**Methods that can be used but not limited to for determination may include modeling programs such as CAMEO or ALOHA. Emergency Response Guides can be used as well. If you need an ERG, please let us know and we can provide one to you. We'd like to see plans for evacuation zones based on types of chemicals at each facility - the potentially impacted zone should a release occur. Consider air flow, topography, etc.

The SD SERC recommends the LEPC shall perform a complete rewrite of their existing Comprehensive Emergency Response Plan every four (4) years.

The Local Emergency Planning Committee (LEPC) shall review the plan once annually, or more frequently as contacts, and/or changed circumstances in the community, or at any facility may require updates to keep the plan relevant.

Please enter your anticipated annual LEPC Review Schedule September 2025

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, complete, and meets the requirements of Title 42, Chapter 116, Subchapter I, § 11003.

9/28/2026
Signature of Plan Author – Date

9/28/2026
Signature of County Emergency Manager – Date

INTERNAL USE ONLY

Draft Plan, State Emergency Response Commission (SERC) Receipt Date

Draft Plan Reviewer & Date